

Carron stoves

Few things in life give such simple pleasure as the warmth and character a real wood burning stove brings to a home.

Both classic in design and extremely practical, a Carron stove is an efficient and clean way to enjoy the charm of a solid fuel-real fire.

There really is nothing quite like owning a Carron stove.

Quite simply some of the finest stoves available.



For your nearest stockist:
Freephone 0808 129 2224
www.carron.uk.net



SIMPLY SOME OF THE FINEST
STOVES AVAILABLE

Carron Stove
(4.7kw)

Stove Features

Approved for use in smoke exempt zones when burning wood

76% efficient when burning wood

Secondary air inlet for cleaner glass and improved combustion

Multi fuel grate

No additional room ventilation required

External riddle grate mechanism with removable handle

Adjustable door handle to allow for fire rope compression

Available in 6 enamel finishes as well as standard matt black

4 piece fire clay brick lined inner

Large flame picture window

Top flue only

Suitable for use with a 12mm hearth



Red Enamel Cast Iron Stove
Carron Stove (4.7kw) BHC303
4.7kw Smoke Exempt Kit BHC508
Log Store BHC333



Green Enamel Cast Iron Stove
Carron Stove (4.7kw) BHC304
4.7kw Smoke Exempt Kit BHC508
Log Store BHC334



Pebble Enamel Cast Iron Stove
Carron Stove (4.7kw) BHC316
4.7kw Smoke Exempt Kit BHC508
Log Store BHC338



Blue Enamel Cast Iron Stove
Carron Stove (4.7kw) BHC305
4.7kw Smoke Exempt Kit BHC508
Log Store BHC335



Black Enamel Cast Iron Stove
Carron Stove (4.7kw) BHC302
4.7kw Smoke Exempt Kit BHC508
Log Store BHC332



Cream Enamel Cast Iron Stove
Carron Stove (4.7kw) BHC306
4.7kw Smoke Exempt Kit BHC508
Log Store BHC336



Gun Metal/Black Cast Iron Stove
Carron Stove (4.7kw) BHC301
4.7kw Smoke Exempt Kit BHC508
Log Store BHC331

Carron Stove (7.3kw)

Stove Features

Approved for use in smoke exempt zones when burning wood

79.3% efficient when burning wood

Secondary air inlet for cleaner glass and improved combustion

Multi fuel grate

Adjustable feet to allow levelling of stove

External riddle grate mechanism with removable handle

Adjustable door handle to allow for fire rope compression

Available in 7 enamel finishes as well as standard matt black

4 piece fire clay brick lined inner

Large flame picture window

Top or rear flue options

Suitable for use with a 12mm hearth



Antique Enamel Cast Iron Stove
Carron Stove (7.3kw)
Smoke Exempt Model (7.3kw) BHC107
Log Store BHC137



Blue Enamel Cast Iron Stove
Carron Stove (7.3kw)
Smoke Exempt Model (7.3kw) BHC105
Log Store BHC135



Pebble Enamel Cast Iron Stove
Carron Stove (7.3kw)
Smoke Exempt Model (7.3kw) BHC116
Log Store BHC138



Red Enamel Cast Iron Stove
Carron Stove (7.3kw)
Smoke Exempt Model (7.3kw) BHC103
Log Store BHC133



Black Enamel Cast Iron Stove
Carron Stove (7.3kw)
Smoke Exempt Model (7.3kw) BHC102
Log Store BHC132



Cream Enamel Cast Iron Stove
Carron Stove (7.3kw)
Smoke Exempt Model (7.3kw) BHC106
Log Store BHC136



Gun Metal/Black Cast Iron Stove
Carron Stove (7.3kw)
Smoke Exempt Model (7.3kw) BHC101
Log Store BHC131



Green Enamel Cast Iron Stove
Carron Stove (7.3kw)
Smoke Exempt Model (7.3kw) BHC104
Log Store BHC134

The Dante (5kw)

Stove Features

Approved for use in smoke exempt zones when burning wood

76.9% efficient when burning wood

Secondary air inlet for cleaner glass and improved combustion

Multi fuel grate

No additional room ventilation required

External riddle grate mechanism with removable handle

Adjustable door handle to allow for fire rope compression

Available in 6 enamel finishes as well as standard matt black

3 piece fire clay brick lined inner

Large flame picture window

Top flue only

Suitable for use with a 12mm hearth



Red Enamel Cast Iron Stove
Dante (5kw) BHC203
5kw Smoke Exempt Kit BHC408



Gun Metal/Black Cast Iron Stove
Dante (5kw) BHC201
5kw Smoke Exempt Kit BHC408



Cream Enamel Cast Iron Stove
Dante (5kw) BHC206
5kw Smoke Exempt Kit BHC408



Black Enamel Cast Iron Stove
Dante (5kw) BHC202
5kw Smoke Exempt Kit BHC408



Green Enamel Cast Iron Stove
Dante (5kw) BHC204
5kw Smoke Exempt Kit BHC408



Blue Enamel Cast Iron Stove
Dante (5kw) BHC205
5kw Smoke Exempt Kit BHC408



Pebble Enamel Cast Iron Stove
Dante (5kw) BHC216
5kw Smoke Exempt Kit BHC408

Carron Stove (11kw)

Stove Features

Approved for use in smoke exempt zones when burning wood

77.3% efficient when burning wood

Secondary air inlet for cleaner glass and improved combustion

Multi fuel grate

Adjustable feet to allow levelling of stove

External riddle grate mechanism with removable handle

Adjustable door handle to allow for fire rope compression

Available in 5 enamel finishes as well as standard matt black

4 piece fire clay brick lined inner

Large double door flame picture windows

Top or rear flue options



Black Enamel Cast Iron Stove
Carron Stove (11kw) BHC602
11kw Smoke Exempt Kit BHC615



Gun Metal/Black Cast Iron Stove
Carron Stove (11kw) BHC601
11kw Smoke Exempt Kit BHC615



Cream Enamel Cast Iron Stove
Carron Stove (11kw) BHC606
11kw Smoke Exempt Kit BHC615



Red Enamel Cast Iron Stove
Carron Stove (11kw) BHC603
11kw Smoke Exempt Kit BHC615




Green Enamel Cast Iron Stove
Carron Stove (11kw) BHC604
11kw Smoke Exempt Kit BHC615




Blue Enamel Cast Iron Stove
Carron Stove (11kw) BHC605
11kw Smoke Exempt Kit BHC615


Carron Stove (4.7kw) Spares




Carron Stove (7.3kw) Spares




Dante Stove (5kw) Spares




Carron Stove (11kw) Spares




Carron Stove (4.7kw)




Carron (4.7kw)	Wood Fuel	Smokeless Fuel
Output	4.7kw	4.5kw
Efficiency	76.0%	69.5%
CO at 13% O2	0.63%	0.37%
Flue temperature	303°C	238°C
Flue gas mass flow	3.5g/s	6.1g/s
Flue draught	12Pa	12Pa
Weight of stove	55.0kg	55.0kg
Flue required	5"	5"
Clearances to:-	Side (mm)	Rear (mm)
Combustibles	450	550
Non Combustibles	150	100




Carron Stove (7.3kw)



Carron (7.3kw)	Wood Fuel	Smokeless Fuel
Output	7.3kw	6.6kw
Efficiency	79.3%	71.5%
CO at 13% O2	0.33%	0.31%
Flue temperature	309°C	279°C
Flue gas mass flow	5.0g/s	7.4g/s
Flue draught	12Pa	12Pa
Weight of stove	89.4kg	89.4kg
Flue required	6"	6"
Clearances to:-	Side (mm)	Rear (mm)
Combustibles	400	500
Non Combustibles	150	150




Dante Stove (5kw)




Dante (5kw)	Wood Fuel	Smokeless Fuel
Output	5kw	4.5kw
Efficiency	76.9%	67.7%
CO at 13% O2	0.64%	0.46%
Flue temperature	268°C	252°C
Flue gas mass flow	4.0g/s	7.1g/s
Flue draught	12Pa	12Pa
Weight of stove	70.5kg	70.5kg
Flue required	6"	6"
Clearances to:-	Side (mm)	Rear (mm)
Combustibles	400	400
Non Combustibles	150	100

Carron Stove (11kw)



Carron (11kw)	Wood Fuel	Smokeless Fuel
Output	11kw	10.6kw
Efficiency	77.3%	69.4%
CO at 13% O2	0.35%	0.27%
Flue temperature	370°C	363°C
Flue gas mass flow	6.6g/s	9.9g/s
Flue draught	12Pa	12Pa
Weight of stove	132.5kg	132.5kg
Flue required	6"	6"
Clearances to:-	Side (mm)	Rear (mm)
Combustibles	700	1,000
Non Combustibles	200	200

Stove Pipes

				
90° Swept Elbow - No Door	135° Swept Elbow - No Door	90° Swept Elbow - With Door	Standard Tee With Branch Spigot	6" Straight Join
Matt Black PFS109 5" ø PFS115 6" ø	Matt Black PFS121 5" ø PFS127 6" ø	Matt Black PFS133 5" ø PFS139 6" ø	Matt Black PFS145 5" ø PFS151 6" ø	Matt Black PFS001 5" ø PFS007 6" ø
Black Enamel PFS110 5" ø PFS116 6" ø	Black Enamel PFS122 5" ø PFS128 6" ø	Black Enamel PFS134 5" ø PFS140 6" ø	Black Enamel PFS146 5" ø PFS152 6" ø	Black Enamel PFS002 5" ø PFS008 6" ø
Red Enamel PFS111 5" ø PFS117 6" ø	Red Enamel PFS123 5" ø PFS129 6" ø	Red Enamel PFS135 5" ø PFS141 6" ø	Red Enamel PFS147 5" ø PFS153 6" ø	Red Enamel PFS003 5" ø PFS009 6" ø
Green Enamel PFS112 5" ø PFS118 6" ø	Green Enamel PFS124 5" ø PFS130 6" ø	Green Enamel PFS136 5" ø PFS142 6" ø	Green Enamel PFS148 5" ø PFS154 6" ø	Green Enamel PFS004 5" ø PFS010 6" ø
Blue Enamel PFS113 5" ø PFS119 6" ø	Blue Enamel PFS125 5" ø PFS131 6" ø	Blue Enamel PFS137 5" ø PFS143 6" ø	Blue Enamel PFS149 5" ø PFS155 6" ø	Blue Enamel PFS005 5" ø PFS011 6" ø
Cream Enamel PFS114 5" ø PFS120 6" ø	Cream Enamel PFS126 5" ø PFS132 6" ø	Cream Enamel PFS138 5" ø PFS144 6" ø	Cream Enamel PFS150 5" ø PFS156 6" ø	Cream Enamel PFS006 5" ø PFS012 6" ø
Pebble PFS179 5" ø PFS180 6" ø	Pebble PFS181 5" ø PFS182 6" ø	Pebble PFS183 5" ø PFS184 6" ø	Pebble PFS185 5" ø PFS186 6" ø	Pebble PFS161 5" ø PFS162 6" ø
			Stainless Steel Tee Cap PFS157 5" ø PFS158 6" ø	

	Standard pipe with door							Standard pipe no door					
	(300mm)	5" ø	6" ø	(600mm)	5" ø	6" ø		(300mm)	5" ø	6" ø	(600mm)	5" ø	6" ø
	Matt Black	PFS061	PFS067	Matt Black	PFS073	PFS079		Matt Black	PFS013	PFS019	Matt Black	PFS025	PFS031
	Black Enamel	PFS062	PFS068	Black Enamel	PFS074	PFS080		Black Enamel	PFS014	PFS020	Black Enamel	PFS026	PFS032
	Red Enamel	PFS063	PFS069	Red Enamel	PFS075	PFS081		Red Enamel	PFS015	PFS021	Red Enamel	PFS027	PFS033
	Green Enamel	PFS064	PFS070	Green Enamel	PFS076	PFS082		Green Enamel	PFS016	PFS022	Green Enamel	PFS028	PFS034
	Blue Enamel	PFS065	PFS071	Blue Enamel	PFS077	PFS083		Blue Enamel	PFS017	PFS023	Blue Enamel	PFS029	PFS035
	Cream Enamel	PFS066	PFS072	Cream Enamel	PFS078	PFS084		Cream Enamel	PFS018	PFS024	Cream Enamel	PFS030	PFS036
	Pebble Enamel	PFS171	PFS172	Pebble Enamel	PFS173	PFS174		Pebble Enamel	PFS163	PFS164	Pebble Enamel	PFS165	PFS166
	(900mm)	5" ø	6" ø	(1000mm)	5" ø	6" ø		(900mm)	5" ø	6" ø	(1000mm)	5" ø	6" ø
	Matt Black	PFS085	PFS091	Pebble Enamel	BHC088	BHC086		Matt Black	PFS037	PFS043	Pebble Enamel	BHC087	BHC085
	Black Enamel	PFS086	PFS092	Antique Enamel		BHC084		Black Enamel	PFS038	PFS044	Antique Enamel		BHC083
	Red Enamel	PFS087	PFS093					Red Enamel	PFS039	PFS045			
	Green Enamel	PFS088	PFS094					Green Enamel	PFS040	PFS046			
	Blue Enamel	PFS089	PFS095					Blue Enamel	PFS041	PFS047			
	Cream Enamel	PFS090	PFS096					Cream Enamel	PFS042	PFS048			
	Antique Enamel		PFS188					Antique Enamel		PFS187			
	Pebble Enamel	PFS175	PFS176					Pebble Enamel	PFS167	PFS168			
	(1200mm)	5" ø	6" ø					(1200mm)	5" ø	6" ø			
	Matt Black	PFS097	PFS103					Matt Black	PFS049	PFS055			
	Black Enamel	PFS098	PFS104					Black Enamel	PFS050	PFS056			
	Red Enamel	PFS099	PFS105					Red Enamel	PFS051	PFS057			
	Green Enamel	PFS100	PFS106					Green Enamel	PFS052	PFS058			
	Blue Enamel	PFS101	PFS107					Blue Enamel	PFS053	PFS059			
	Cream Enamel	PFS102	PFS108					Cream Enamel	PFS054	PFS060			
	Pebble Enamel	PFS177	PFS178					Pebble Enamel	PFS169	PFS170			

Stove Hearths



Warranty		
Carron Stoves are supplied with a 3 year stove body and 1 year inner components warranty.		
This warranty does not cover items considered consumables. These items include door glass, fire bricks, fire rope and grates. The use of incorrect fuels would invalidate this warranty.		
This appliance must be installed by a HETAS engineer. Proof of purchase and certificate of installation would be required in the case of a warranty claim.		
Due to limitations of the printing process, colour reproduction of enamel stoves may vary slightly from those shown. Please consult your local stockist for more accurate colour matching.		
Occasionally the enamel finish can show a crazing/cracking effect on the surface of the stove during use. This effect will normally lessen as the stove cools and should not be considered a defect. This crazing effect can be made worse by incorrect fuel or over-fueling.		
		