

Online Auction

On the instructions of various retained clients
Piecemeal (Subject to Conditions of Sale and unless sold previously)

Collective Sale of Animal Feed, Cereal Flour Milling, Food Processing, Biomass & Process Plant and Industrial Equipment (approx. 800 lots)

Photographs & online auction bidding via sw.co.uk/auctions

- Bidding:** Closes from 10am Thursday 5 December 2019
- View:** Strictly by appointment through Stephen Jepson or Kris Taylor
- At:** Various locations throughout the UK

The Chancery, 58 Spring Gardens, Manchester, M2 1EW Tel: 0161 259 7050

auctions@sw.co.uk
sw.co.uk/auctions

Misrepresentation: Whilst every effort has been made to provide reliable information, Sanderson Weatherall LLP do not warrant the information contained herein and prospective purchasers must satisfy themselves by inspection as to its correctness.

GENERAL CONDITIONS OF SALE

1. Interpretation

1.1. In these General Conditions the following words and expressions shall have the meanings set opposite:

"Auction"	any auction (whether a Live Auction or an Online Auction and whether conducted independently or simultaneously) conducted pursuant to these General Conditions and the Special Conditions;
"Auctioneer"	the person conducting the Auction or to whom the conduct of the Auction is delegated under General Condition 4.9 below;
"Bidder"	any person who offers to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender;
"Bid"	an offer to purchase any Lot whether by bidding at Auction or offering to purchase by private treaty or tender, and "Bids" and "Bidding" shall be construed accordingly;
"Buyer"	any person who agrees to purchase any Lot whether at Auction or by private treaty or tender and as determined under General condition 4.12 below;
"Buyer's Premium"	a commission payable by the Buyer on the completion of a Sale the amount of which is set out in the Special Conditions; The Auctioneer, when acting as Agent for the Seller, may also receive commission from the Seller.
"Catalogue"	the catalogue incorporating these General Conditions and the Special Conditions;
"Clearance Date and Time"	the date and time on which all Lots must be removed by the Buyer from the Location as specified in the Special Conditions;
"The Company"	Sanderson Weatherall LLP (company number OC 344 770) whose registered office is at 6 th Floor, Central Square, 29 Wellington Street Leeds LS1 4DL;
"Deposit"	the sum payable by the Buyer to the Company as set out in the Special Conditions;
"Live Auction"	any auction conducted at the Location or at such other location(s) as shall be notified by the Company in the Special Conditions or in the Catalogue;
"Location"	the premises at which the Lots are located, details of which are set out in the Special Conditions;
"Lot"	any Lot described in the Catalogue, on the Website or on the Company's invoice;
"Online Auction"	any auction conducted over the internet via the Website pursuant to these General Conditions and the Special Conditions;
"Sale"	the sale of any Lot by Auction, private treaty or tender and as determined under General Condition 4.11 below;
"Seller"	the person upon whose instructions the Company is conducting the Sale, details of whom are set out in the Special Conditions;
"Special Conditions"	any additions to these General Conditions set out or referred to in the Catalogue, announced at Auction or otherwise specified by the Company;
"Website"	the website at: www.bidspotter.co.uk ;
"VAT"	value added tax chargeable under English Law for the time being and any similar additional tax.

2. Application of these General Conditions

- 2.1. These General Conditions apply to every Sale of plant and machinery, chattels and trade stocks conducted by the Company.
- 2.2. These General Conditions, the Special Conditions and any terms set out in the Catalogue shall together comprise the "Conditions of Sale".
- 2.3. To the extent that these General Conditions are inconsistent with any Special Conditions, the General Conditions shall prevail.
- 2.4. Bidding for any Lot shall be deemed to be an acceptance by the Bidder of these General Conditions and the Special Conditions.
- 2.5. These General Conditions shall be governed construed and enforced in accordance with the laws of England and Wales unless the Location is in:-
 - 2.5.1 Scotland in which case the laws of Scotland shall apply; or
 - 2.5.2 Northern Ireland in which case the laws of Northern Ireland shall apply.
- 2.6. A reference to writing or written shall include e-mail.
- 2.7. Any word or phrase having a meaning defined in these General Conditions shall have the same meaning when used in the Special Conditions.

3. Identity of the Parties

- 3.1. The Company offers each Lot as agent of the Seller and not as principal unless otherwise indicated in the Catalogue.
- 3.2. The Auctioneer offers each Lot as agent of the Seller and not as principal unless otherwise indicated in the Catalogue.
- 3.3. The identity of the Seller is set out in the Special Conditions.
- 3.4. Unless the Company has previously acknowledged in writing that the Bidder Bids as agent on behalf of a named principal, every Bidder shall be taken to Bid on his own behalf as principal.
- 3.5. Any Bidder acting as agent on behalf of a named principal shall remain liable to the Seller and the Company for all obligations and liabilities of his principal jointly and severally with the principal. The Bidder warrants that he has the authority of his principal to make each Bid made.

- 3.6. Every Bidder is required to give his name and address and provide satisfactory proof of identity and such other information and documentation as is required to the Company before making any Bid and in the case of:
 - 3.6.1 a Live Auction by the completion of a registration form;
 - 3.6.2 an Online Auction by online registration at the Website; and
 - 3.6.3 a private treaty or tender by prior registration or notification of details, as and when requested by the Company.

- 3.7. The Company reserves the right at any time to reject the registration of any persons and refuse access to the Auction at its sole discretion.
- 3.8. On registration for an Online Auction Bidders will be added to the Company's mailing list for the purposes of notification of future sales by email. If a Bidder wishes to stop receiving such notifications they can unsubscribe at any time by clicking on the link provided at the bottom of each email.
- 3.9. On registration in accordance with General Condition 3.6 the Bidder acknowledges that only adults aged 18 years and over are entitled to enter into a legally binding contract and as a result they are the only people entitled to register for the Auction. By registering the Bidder warrants that he is aged 18 years or older and is capable of forming a legally binding contract.

4. Conduct of Auctions

- 4.1. Any Lot may be subject to a minimum bid or reserve price. The Seller is entitled to change these at any time before the conclusion of the Sale.
- 4.2. The Seller, Auctioneer or any representative, agent or person acting on behalf of the Seller may Bid for any Lot. Persons entitled to Bid pursuant to this condition 4.2 shall be entitled to place Bids on any Lot up to the reserve price including by placing Bids in response to other Bidders.
- 4.3. Lot descriptions will be amended as appropriate as and when information becomes available to the Company. Prospective Bidders must read Lot descriptions before making a Bid so that they are fully aware of any amendments to the description appearing in the Special Conditions and/or on the Website or in the Catalogue in relation to a particular Lot.
- 4.4. The Auctioneer may at any time before the conclusion of the Sale withdraw or divide any Lot or combine any Lots.
- 4.5. The Company may sell any Lot by private treaty or tender before or after the Auction. The Auctioneer may reject any Bid at his sole discretion and without being required to give a reason.
- 4.6. No Bid shall be retracted without the consent of the Auctioneer.
- 4.7. The Auctioneer may where there is a dispute between Bidders, summarily determine the dispute or immediately again offer the Lot for sale, in each case without being required to give a reason.
- 4.8. The Auctioneer shall in every other respect decide how the Auction is to be conducted and without being required to give a reason.
- 4.9. The Auctioneer may in his sole discretion delegate to a person whom he believes to be competent the conduct of the Auction in accordance with these General Conditions.
- 4.10. The Auctioneer may from time to time act jointly with an associated Auctioneer who will be named in the Catalogue and/or in the Special Conditions.
- 4.11. A Sale is concluded (constituting acceptance of the Bidder's offer, subject to General Condition 4.12 below) when:
 - 4.11.1 in the case of a Live Auction, on the fall of the Auctioneer's hammer; and/or,
 - 4.11.2 in the case of an Online Auction, at the close of the timed Online Auction Sale as specified on the Website and as defined by General Condition 4.17.3 below or;
 - 4.11.3 in the case of a private treaty or tender, when the Bidders Bid is accepted by the Company, such acceptance to be communicated to the Bidder in writing by way of receipt of the Company's invoice.
- 4.12. The Buyer shall be the person who made the highest Bid before the conclusion of the Sale pursuant to General Condition 4.11 above subject to approval and acceptance by the Company, the Auctioneers and the Seller or such other Bidder as the Auctioneer and/ or the Company may declare to be the Buyer without being required to give a reason. The Auctioneer and/ or the Company and/ or the Seller is not bound to accept the highest Bid or any other Bid placed in the course of the Auction.
- 4.13. In the case of an Online Auction the Buyer, as determined under General Condition 4.12 above, shall within a reasonable time after the conclusion of the Sale receive by email an invoice in respect of the monies due for the Lot(s) purchased.
- 4.14. In the event that the reserve price is not met, the Company may consider the Bids received below the reserve price with the Seller who at its sole discretion may accept, reject or place a counteroffer.
- 4.15. On conclusion of the Sale and acceptance of the Bidders Bid pursuant to General Conditions 4.11 and 4.12 above, the Buyer acknowledges and agrees that he has entered into a contract with the Seller to buy the Lot and the Buyer must complete the transaction to purchase the Lot.
- 4.16. The Buyer may not remove any Lot he has bought until after the end of the Auction.
- 4.17. In relation to an Online Auction:
 - 4.17.1 the Company cannot guarantee that the internet services will operate continuously or without interruptions and this could affect the conduct of the Online Auction and the Bidders ability to Bid online. The Company shall not be liable in any respect in the event of any dispute due to errors, omissions or disruptions to internet services or power failures or any other unforeseen circumstances which may occur during the Online Auction;
 - 4.17.2 the Auctioneer may at any time, without notice, postpone or cancel an Online Auction or extend an Online Auction beyond the published closing time (including extension of the timed

- Online Auction in accordance with General Condition 4.17.3 below);
- 4.17.3 the timed Online Auction Sale is auto bid extension enabled meaning that where a Bid is placed within ten minutes of the original scheduled close of the timed Online Auction the scheduled close of the timed Online Auction will automatically be extended by an additional ten minutes. This continues with a new scheduled close time each time a Bid is placed until no-one places a Bid before the last scheduled close of the timed Online Auction. Every time a Bid is placed within ten minutes or less left in the Online Auction an additional ten minutes Bidding time is added until there are no more Bids. Such time shall then be deemed to be the close of the timed Online Auction.
- 4.18 In the event that the Auctioneer unknowingly sells a Lot that was not eligible for Sale (i.e. there is a third party interest that comes to light) then the Auctioneer shall be entitled to immediately rescind that Sale without any further liability to the Auctioneer and/or Company or the Seller.
- 4.19 Copies of the Auctions (Bidding Agreements) Act 1927 and 1969 are held at the Company's and/or the Auctioneer's principal place of business.
- 5. Sale and Payment**
- 5.1 The Buyer shall pay the following sums to the Company in full and without set off:-
- 5.1.1 immediately upon the Sale of any Lot the Deposit, if requested by the Company; and
- 5.1.2 the balance of the price of the Lot purchased, together with the Buyer's Premium by no later than 48 hours after conclusion of the Sale or, in the case of an Online Auction, after receipt of an invoice in respect of the purchased Lot(s) pursuant to General Condition 4.13 above, or such other time and date as may be specified in the Special Conditions; and
- 5.1.3 any other payment or amount due to the Seller and/or the Company pursuant to these General Conditions or the Special Conditions on demand.
- 5.2 In every case time for payment shall be of the essence.
- 5.3 In view of Money Laundering Regulations the Company reserves the right to refuse payment in cash. Payments in cash of more than £7,500 will not, in any circumstances, be accepted.
- 5.4 If the Buyer fails to make any payment on the due date for payment then, without limiting any other right or remedy available to the Seller, the Buyer shall pay to the Company interest (both before and after any judgment) on the amount unpaid at the rate of 1.5% above the bank base rate of Barclays Bank Plc per month or any part thereof until payment in full is made.
- 5.5 Until the Buyer has fully complied with its obligations in this General Condition 5:-
- 5.5.1 title to any Lot bought shall not pass to the Buyer;
- 5.5.2 the Seller shall have a lien over any Lot bought by the Buyer in the Auction;
- 5.5.3 if the Buyer effects or purports to effect a resale or any other disposition of all or part of the Lot, the Buyer shall hold the proceeds of resale or other disposition on trust for the Seller.
- 5.6 All sums payable under these General Conditions and the Special Conditions are exclusive of any applicable VAT for which the Buyer shall be additionally liable to pay to the Company. On written request by the Buyer the Company will provide a VAT invoice.
- 5.7 The Company will only accept payment under this General Condition 5 from the Buyer or its authorised agents.
- 6. Removal of Lots**
- 6.1 Risk of damage to or loss of the Lot shall pass to the Buyer immediately upon the conclusion of the Sale.
- 6.2 The removal of Lots from the Location shall be undertaken by the Buyer entirely at its own risk and without any liability whatsoever to the Company.
- 6.3 Buyers are responsible for any and all costs and expenses incurred in relation to the removal of Lots and any other applicable charges, taxes and insurance costs.
- 6.4 The Buyer may not remove any Lot until the Buyer has:-
- 6.4.1 paid by cleared funds all amounts payable pursuant to General Condition 5 above in full; and
- 6.4.2 if requested by the Company produced satisfactory evidence to the Company that the Buyer has adequate public liability insurance in respect of the indemnity set out in General Condition 6.11 below and/or deposited with the Company, by way of security for the costs of making good any damage likely to occur, such sum as the Company may stipulate.
- 6.5 The Company will only permit the removal of Lots purchased by the Buyer or its authorised agents.
- 6.6 The Buyer must remove each Lot purchased by the Clearance Date and Time for which time shall be of the essence. Lots may only be removed during normal working hours or such hours as are specified in the Special Conditions. No clearance on Bank or Public Holidays. In the absence of co-operation the Company and/or the Auctioneer reserves the right to insist on the order of the removal of Lots or parts thereof.
- 6.7 Buyers should co-operate regarding order of removal of Lots in order to comply with the Clearance Date and Time. If it transpires that a Buyer makes no effort to commence dismantling and the particular Lot is preventing other buyers from removing purchased Lots, then the Auctioneer reserves the right to insist that removal take place immediately notwithstanding the specified Clearance Date and Time. In the event the Buyer does not comply with its obligations under this General Condition 6.7, then the Auctioneer reserves the right to arrange for the removal and/or storage of the Lot and charge any attendant costs to the Buyer.
- 6.8 If any Lot is unsold and has to be dismantled & lowered to allow the removal of any other lot, then such dismantling & lowering shall be the responsibility of the Buyer of the relevant Lot(s).
- 6.9 Title to computer software sold pursuant to the Sale of a Lot is not transferred under any Sale to the Buyer and use is subject to any licence or copyright restrictions and user conditions. The Sellers, Company and/or Auctioneers reserve the right to erase any private or sensitive information prior to the Sale or at any later date.
- 6.10 The Buyer and/or his removal contractor must liaise with the Company's site representative prior to commencing dismantling/removal of a Lot from the Location and must at all times comply with its obligations under clause 6.11 below.
- 6.11 When removing any Lot from the Location the Buyer shall, or shall procure that its removal contractors shall:
- 6.11.1 carry out a full assessment of Lot, the Location and the land or buildings to which the Lot is fixed to assess the risks associated with detaching/ removing the Lot and shall fully satisfy themselves that they can detach/ remove the Lot in compliance with the Buyers obligations under this General Condition 6.11 prior to handling and/or commencing removal of a Lot;
- 6.11.2 obtain all relevant planning permissions (where required) in relation to the removal of building structures and plant housings;
- 6.11.3 buyers of Lots will be required to make good holes or voids exposed by the removal of Lots. Cladding taken off buildings for removal of plant & equipment will have to be replaced, unless otherwise specified by the Company;
- 6.11.4 when detaching any Lot fixed to land or buildings, do so safely and lawfully and must not use flame cutters, explosives or any other dangerous equipment or process without first obtaining written consent of the Company;
- 6.11.5 remove the Lot in compliance with all relevant legislation, regulations, codes of practice, guidance, orders, rules and other requirements of any relevant government or governmental agency or authority whether Parliamentary, statutory, parochial or local including (without limitation) in compliance with the Health and Safety at Work etc Act 1974, the Environmental Protection Act 1990, The Construction (Design and Management) Regulations 2015, Control of Substances Hazardous to Health Regulations 2002 (COSHH), and the Road Vehicle (Construction and Use) Regulations 1986 and any subsequent amendments thereof and all other health and safety and environmental legislation in existence at the time of the Sale. To the extent that such regulations are advisory rather than mandatory, the standard of compliance to be achieved by the Buyer shall be to the best industry practice;
- In all cases arising under this General Condition 6.11 the costs of compliance shall be borne by the Buyer and the Buyer hereby indemnifies the Company and the Seller against all losses, costs, expenses, damages, liabilities, demands, claims, actions and proceedings which the Company and/or the Seller may incur arising directly or indirectly out of any breach by the Buyer to the provisions of this General Condition 6.11 and the Buyer shall make good any damage caused to (without limitation) other lots, the Location or to any property belonging to third parties, in removing any Lot under this General Condition 6.11.
- 6.12 The Company shall be entitled to halt the clearance of any Lot if in its absolute discretion the removal of a Lot is being carried out in an unsatisfactory manner. Where the clearance is halted by the Company, the Buyer must liaise with the Company's site representative as to how the Lot should be removed from the Location provided that the Buyer shall at all times ensure that it complies with its obligations under General Condition 6.11 above and the Company shall have no liability in this regard.
- 6.13 The Buyer shall provide evidence as and when requested by the Company of the Buyer's insurance policies in respect of the following insurances and at a minimum level of:
- 6.13.1 Public Liability Cover - limit Two Million Pounds (£ 2,000,000); and
- 6.13.2 Employers Liability Cover - limit Ten Million Pounds (£10,000,000);
- the Company reserves the right to vary the level of insurance cover stated above at any time, as and when required.
- 6.14 The Buyer shall provide to the Company a Risk Assessment & Method Statement complying with The Construction (Design & Management) Regulations 2015, COSHH or with any subsequent amendments thereof or such other legislation as shall from time to time be in force.
- 6.15 Electric, gas, water, steam and waste disconnections are the responsibility of the Buyer and **MUST** be carried out by an approved contractor following consultation with the site representative.
- 6.16 It is expressly brought to the Buyer's attention that certain Lots could contain asbestos, noxious chemicals/ substances etc. which if not handled correctly during their removal could result in breach of Health & Safety at Work legislation and/or Control of Substances Hazardous to Health Regulations or other statutory requirements.
- 6.17 Any fluids, gases and/ or waste remaining in plant and machinery are the responsibility of the Buyer and **MUST** be removed from the Location strictly in accordance with any applicable statutory requirements.
- 6.18 The Buyer must use safe and lawful means of removing the Lot, must comply with all current statutory requirements and regulations including those relating to the disposal and removal of waste, and if required, satisfy the Company in relation to their removal procedures; in particular, the removal of waste materials must be undertaken by an approved and licensed contractor to an approved waste management site.

- 6.19 The Buyer acknowledges and agrees to give a written undertaking pursuant to section 6(8) of the Health & Safety at Work Act 1974 when required to do so.
- 6.20 It is expressly brought to the attention of the Buyer that certain types of plant or main service installations could contain asbestos, dangerous chemicals etc. which, if not handled correctly during their removal from site, could be in breach of the Health & Safety at Work Act 1974, the Control of Asbestos at Work Regulations 2002, the Asbestos (Licensing) Regulations as amended and the Control of Substances Hazardous to Health Regulations 1988 (COSHH) or any other current legislation covering the use of such substances in a working environment.
- 6.21 It is the Buyers or their removal contractors responsibility (i.e. Police, Ministry of Transport, Local Authority) to transport off site long/ wide loads, within sufficient time prior to the commencement of clearance period as stated in the Special Notes & Conditions.
- 6.22 The Buyer shall indemnify the Company and the Seller against any loss, damages, expenses, claims or liabilities arising directly or indirectly from the possession or use of the Lot after title to the Lot has passed to the Buyer but before it is removed from the Location.
- 6.23 All Lots are sold on the understanding that the Seller does not represent them as being in a condition which makes them suitable for domestic use. If any Lots are intended for domestic use the Buyer must ensure that they comply with the requirements of the Furniture & Furnishings (Fire) (Safety) Regulations 1988 and any subsequent amendments thereof or such other relevant statutory requirements or regulations as shall from time to time be in force.
- 6.24 The Buyer undertakes to comply with the provisions of the Data Protection Act 2018 in processing data held by them in connection with any Lot.
- 7. Default by the Buyer**
- 7.1 If at any time the Buyer has failed to pay the sums specified in General Condition 5 above in full by the due date for payment, or to remove any Lot purchased by the Clearance Date and Time specified in the Special Conditions the Seller may rescind the Sale of that Lot, in which case any Deposit shall be forfeit, and that Lot may be resold.
- 7.2 If the Seller has rescinded the Sale but the Buyer has removed the Lot purchased, the Seller shall be entitled without previous notice to enter upon any premises where he believes the Lot to be and remove it.
- 7.3 If the Seller has rescinded the Sale and the Lot has been resold by the Auctioneer and/or the Company or by the Seller, the Buyer shall reimburse the Seller with any shortfall where: -
- 7.3.1 the resale price less the Sale price; and
- 7.3.2 the costs incurred by the Seller incidental to the resale.
- 7.4 If the Buyer fails to remove any Lot by the Clearance Date and Time specified: -
- 7.4.1 the Seller may remove the Lot from the Location and leave it outside at the Buyer's risk in all respects;
- 7.4.2 the Seller may charge the Buyer for the reasonable costs of storage;
- 7.4.3 the Seller may charge the Buyer rent, taxes, men's wages and expenses incurred as a result of the Lot(s) remaining at the Location; and
- 7.4.4 the Buyer shall indemnify the Seller against any loss, damages, expenses, claims or liabilities incurred by the Seller arising from the Buyer's failure to remove the Lot from the Location.
- 8. Acknowledgements and Exclusion of Warranties**
- 8.1 The Buyer acknowledges that in agreeing to purchase any Lot he is not relying on any warranties or representations made by the Seller or the Company or any of their employee's agents or representatives. All representations, warranties and conditions, express or implied, statutory or otherwise in respect of all and any of the Lots are expressly excluded and without limitation any warranties and conditions as to title, quiet possession, satisfactory quality, fitness for purpose and description are excluded to the fullest extent as permitted by law.
- 8.2 The Buyer further acknowledges that neither the Sellers nor the Company shall in any circumstances be liable to or to compensate the Buyer nor shall the Buyer be entitled to rescind the Sale or reject any Lot for an error omission or misstatement contained in the Catalogue and/or in the Special Conditions.
- 8.3 The Buyer also acknowledges that: -
- 8.3.1 all the Lots are purchased on the basis that risk of good title to all or any of them passing to the Buyer is at the Buyer's risk and without limitation the Lots are sold subject to any claims, liens, distraint and execution and subject to all leasing, hire or hire purchase agreements and reservation of title claims (if any) in respect of them;
- 8.3.2 if it shall be found that the Seller does not have title to all or any of the Lots the Buyer shall have no right to rescind, avoid or vary this agreement or to claim damages or a reduction in the price paid or payable;
- 8.3.3 anything found in, under, near or in any Lot which is not specifically included in the description of the Lot remains the property of the Seller;
- 8.3.4 any intellectual property rights or software subsisting in a Lot may be third party property and as such the Seller and/or the Company may be unable to effect transfer. The Buyer will not be authorised to use intellectual property rights or software and any such use or transfer shall be at the Buyers sole risk.
- 8.4 The Buyer undertakes that it shall ensure that any vehicle comprised in any Lot is in a roadworthy condition in accordance with the Road Vehicle (Construction and Use) Regulations 1986 and any subsequent amendments thereof or such other relevant regulations as shall from time to time be in force before using it on a public road. It is the Buyer's responsibility to remove Company logos and lettering from vehicles. Odometer readings are not warranted.
- 8.5 The Buyer acknowledges that any item of plant, machinery or equipment contained in the Lot(s) may not necessarily comply with any statutory requirements or regulations governing the use of that plant, machinery or equipment in their working environment. Neither the Seller nor the Company shall incur any liability to the Buyer because of any default or defect in all or any of the Lots. Buyers are entirely responsible for ensuring that the use of any item of plant, machinery or equipment does not contravene any health and safety and environmental legislation in existence at the time of the Sale.
- 8.6 The Buyer acknowledges and agrees that the Company is acting only as agent of the Seller and it is expressly agreed and declared that no personal liability in connection with the Sale of any Lot or otherwise shall fall on the Company and the Buyer shall indemnify the Company against all and any liabilities arising under or in connection with the Sale of any Lot. Insolvency Practitioner(s), including Administrative Receiver(s), Administrator(s) and Liquidator(s) act as agent(s) for the Seller without personal liability and shall incur no personal liability whatsoever in relation to a Sale or pursuant to any document relating thereto.
- 8.7 The Buyer acknowledges and agrees that the Auctioneer does not represent any lot as being in a condition which makes it suitable for domestic use.
- 8.8 The Buyer acknowledges and agrees that the Auctioneer does not have nor professes to have any expert or other knowledge of any Lots sold.
- 8.9 The Buyer acknowledges and agrees that the Auctioneer is hereby excluded from any liability the Auctioneer might otherwise incur.
- 8.10 The Buyer acknowledges and agrees that no liability shall attach to the Auctioneer either in contract or in tort for loss of injury or damage legal or otherwise sustained by the Seller, any bidder, the Buyer or any other person by reason of any defect in any Lot sold, latent or otherwise, or any defect or danger of the premises where the Auction is held.
- 8.11 The Buyer agrees that the General Conditions and the exclusions which they contain are fair and reasonable bearing in mind that:-
- 8.11.1 the Buyer must rely absolutely on the Buyer's own opinion and/or professional advice concerning the quality, state, condition, performance and functionality of the Lots any right, title or interest which is sold under the terms of these General Conditions, their fitness and suitability for any particular or any purpose, the possibility that some or all of them may have defects not apparent on inspection and examination including, without limitation, the presence of contamination and the possibility that the Buyer may not acquire title and the fact that the Buyer would have no remedy under this Agreement should that happen;
- 8.11.2 the Buyer has available to it skilled professional advice and on that basis agrees to purchase a Lot for a consideration calculated to take into account amongst other things the risk to it represented by the fact that the parties believe that all the exclusions and limitations set out in these General Conditions would be recognised as being fully effective by the Courts and the Seller making it clear that it would not have agreed to sell any Lot on any other basis except for a higher consideration;
- 8.11.3 the Buyer has been given every opportunity which might reasonably be expected to examine and inspect the Lots.
- 8.12 Notwithstanding anything else in these General Conditions, the Seller's and the Company's total liability under or in connection with the Sale of any Lot, whether in respect of breach of contract, tort (including negligence), breach of statutory duty or otherwise, including consequential loss, shall be limited in aggregate to the price paid for the Lot or if no price has been paid then the higher of the market value or reserve price for the Lot. This General Condition 8.12 does not apply to liability for death or personal injury.
- 8.13 The Buyer acknowledges that a Sale by Auction is not a consumer sale for the purposes of the Sale of Goods Act 1979 (as amended by the Sale and Supply of Goods Act 1994) and the Unfair Contract Terms Act 1977 and the Buyer shall not seek to rely upon and conditions or warranties implied thereby or by any other legislation.
- 9. Entire Agreement**
- 9.1 The parties agree that these General Conditions, the Special Conditions and the Catalogue constitute the entire agreement between them and supersedes all previous drafts agreements arrangements and understandings between them, whether oral or written.
- 10. Jurisdiction**
- 10.1 Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with these General Conditions or its subject matter or formation (including non-contractual disputes or claim).

SPECIAL CONDITIONS OF SALE

Seller:

On the instructions of various retained clients.

Location:

Various locations throughout the UK.

Viewing:

Strictly by appointment.

Access to the Location is allowed on the understanding that all persons attend the Location entirely at their own risk and are responsible for and will indemnify the Seller and the Company against any losses damage or claims occasioned by their presence at the Location.

Children under the age of 16 will not be allowed access to the Location.

Registration:

All bidders must register their details with the Company and provide identification where required. In the case of Live Auctions by way of the registration form provided at the Live Auction or in the Catalogue and in the case of Online Auctions, online at the Website www.bidspotter.co.uk and sw.co.uk/auctions

Administration Fee:

We reserve the right to charge a fee of £25.00 plus VAT to change name and address details on invoices. To avoid this fee please ensure that the information is correct at point of registration on Bidspotter.

Bidding:

The General Conditions and the Special Conditions apply to all Sales by way of Auction, private treaty and tender and in the case of any Bids placed by way of an Online Auction stress that all Bidders must read and understand Bidspotter's terms and conditions of registration at www.bidspotter.co.uk and sw.co.uk/auctions.

At the close of the timed Online Auction Sale final Bid figures will be submitted to the Seller for its approval and any Bid shall be subject to approval and acceptance by the Company and/or the Seller. No Bid may be withdrawn and the Company/Seller does not bind himself to accept the highest Bid or any other Bid placed in the course of the Online Auction Sale.

Buyer's Premium:

Buyers will pay a Buyer's premium of 5% plus VAT (on major items) or 15% plus VAT (as noted in each lot description) of the purchase price for each Lot purchased whether by Auction or, private treaty or tender. The Buyer's Premium is payable by the Buyer to the Company in accordance with the General Conditions and, for the avoidance of doubt is payable in addition to the purchase price for the Lot. The Buyer's Premium is not negotiable and is payable by all Buyers.

Deposit:

Buyers shall pay a deposit of 25% (plus VAT) of the purchase price for each Lot purchased as requested by the Company pursuant to the General Conditions and these Special Conditions.

Payment:

All Lots shall be paid for in full within **48 hours (two working days) of the invoice date** and shall be at the Buyer's risk immediately upon the conclusion of the sale.

Telegraphic Transfer - Bank details for telegraphic transfer:

Account: Sanderson Weatherall LLP

Bank: Allied Irish Bank (UK) plc, Vantage Point, Hardman Street, Spinningfields, Manchester

Sort Code: 23-83-96

Account Number: 03526066

SWIFTCODE – AIBKGB2L

IBANGB28AIBK23839603526066

Cash - In view of Money Laundering Regulations the Company reserves the right to refuse payment in cash. Payments in cash of more than £7,500 will not, in any circumstances, be accepted.

Bankers Draft/ Cheques: (made payable to Sanderson Weatherall LLP) will only be accepted on the basis that any Lots are not removed until cleared funds are in the Company's client account.

Debit Cards: The Company accepts debit cards for payment of invoices (maximum £2,500). The Company does not accept credit cards for payment of invoices.

All sums payable under the General Conditions and these Special Conditions are exclusive of any applicable VAT for which the Buyer shall be additionally liable to pay to the Company.

Registrations / Licenses / Transfer Fees:

Purchaser is responsible for ongoing / transfer costs.

Clearance:

All lots must be cleared without fail by 4pm FRIDAY 20 DECEMBER 2019, such date and time being the Clearance Date and Time as referred to in the General Conditions, REMOVAL OF ALL LOTS WILL BE STRICTLY BY APPOINTMENT, please see the Company's invoice for contact details.

Collection from site is the Buyer's responsibility, the Company/Seller do not provide a packing/ delivery service.

Reserve Removal:

Lots sold subject to a reserve removal will either be indicated in the Catalogue with the date of availability or will be identified by the Auctioneer at the point of Sale. A Deposit will be payable as with other lots but in this instance payment in full can be left until five (5) working days prior to availability. Unless specified to the contrary such Lots must be removed from the Location not later than the Clearance Date and Time specified for final removal in these Special Conditions.

Fire Alarm:

In case of a fire alarm all visitors and contractors are to exit buildings and report to the Muster Point.

Smoking:

No smoking on site. Food and Drink is only to be consumed in designated areas.

Safety:

All persons including Buyers, their employees, agents, representatives and contractors are reminded that they are responsible for their own safety on site and enter at their own risk and should take the precaution of wearing protective clothing as appropriate.

Finance:

If Buyers wish to purchase Lots with the help of a finance company they should make arrangements well in advance of the Sale to ensure that they are able to make payment in accordance with the General Conditions.

Overseas Buyers:

Overseas Buyers should ensure that the country to which the items are destined: -

- holds no import restrictions on the goods to be purchased;
- has no import licence restrictions or a restriction on currency allocation;
- has no prolonged inspection procedure which might cause excess delay or refusal in allowing your goods to be imported.

Overseas Buyers will receive a fully descriptive invoice in order that they may arrange payment as soon as possible with the Company's bank, Allied Irish Bank (UK) Plc, Vantage Point, Hardman Street, Spinningfields, Manchester.

Overseas Buyers should employ a suitable freight forwarding organisation. Please note that many of the machinery removal companies in the United Kingdom are not necessarily freight forwarders. The [Seller and/or Company] will be pleased to advise accordingly.

The Company makes no representation and accepts no liability whatsoever to any Buyer in respect of the issuance or validity of any exportation or importation permits or the existence and exercise of exportation or importation regulations or any compulsory purchasing regimes.

VAT Payments and Returns:

All overseas Buyers (EU and non-EU) will be charged VAT at the current rate on each Lot purchased. This will be refunded to the overseas Buyer as soon as the Seller receives a copy of the bill of lading as proof of export, providing this documentation is received within 3 months of the sale date. The Seller is unable to refund the VAT on the Buyer's Premium to non-EU countries.

Lot	Description	Lot	Description
	All lots are sold as seen and where lying. It is assumed that all bidders have viewed lots to their satisfaction prior to bidding. No allowance of any kind whatsoever will be made as a result of failure to view. We strongly advise bidders not to bid on any lot if they have not viewed to their satisfaction first. Our descriptions and photographs are not sufficient to wholly rely upon for the purposes of bidding	7	Transnorm TS 1600-105 FH2 90 degree Corner Belt Conveyor, aluminium cased, 1200mm wide belt, 3 phase, year of manufacture 2016, £50 charge to load onto purchaser's transport, lot located in Chester (ref 6)
1	FB Lehman FM20 18.3 litre cap AGITATOR BALL MILL, with commissioning parts & manual, serial no. 010888, plant no. unknown, year of manufacture 1995, capacity 18.3 litre, purchaser will have to arrange loading onto transport, item located in Darwen, Lancashire, vendors comments/condition report - unused, suitable for extremely fine grinding including food such as cocoa and chocolate masses, nut pastes, sauces, mayonnaises, spices etc - paints, printing inks, pigments, pastes, fillers, carbon-black and textile dye - chemicals, pharmaceuticals, cosmetics, plant-protective agents, detergents - minerals, kaolin, ceramic slurries and clay, client reference no. 1.	8	Transnorm 1600-105 90 degree Belt Conveyor, serial no. B1682480, aluminium cased, 900mm wide, year of manufacture 2016, £50 charge to load onto purchaser's transport, lot located in Chester (ref 7)
2	SACK FEED CONVEYOR SYSTEM, all 500mm wide, belt consists off 5 units, incline, rotator / turner, settler, flattener and out feed. Equipment will be loaded onto purchaser's transport free of charge, lot located in Chester (ref 1)	9	Transnorm TS 1600-105 90 degrees Belt Conveyor, aluminium cased, 600mm wide, year of manufacture 2005, £50 charge to load onto purchaser's transport, lot located in Chester (ref 8)
3	Adpak GEMINI GSP FLOW WRAPPER, vendor comments - with full recent refurb by Adpak 240 volts, tested with four spare folding boxers, chain pushers, on castors new belt and guards. £50 charge to load onto purchaser's transport, lot located in Chester (ref 2)	10	TROMMEL SEPARATOR SCREEN, approx. 1.5m dia. x 4.5m long on body of trommel screen, with 500mm wide chevron belt discharge, 600mm wide trough belt infeed conveyor x 7.5m centres long, fitted geared electric motor drive and fabricated steel conveyor suspension tower 1.5m x 1.5m x 4.8m high, currently used for separation of wood waste (ref 8-10), lot located in Spaldington Goole, free loading onto purchaser's Transport – Yes
4	Spiroflow Unit with extra receiver (tank), 3 phase, 4m x 65mm ID tube, used for corn snacks to empty sacks then feed to another Spiroflow holding tank, dismantled and palletised, £50 charge to load onto purchaser's transport, lot located in Chester (ref 3)	11	TWO SPEED PELLETING PRESS, (understood to be manufactured by CPM), with electric motor, die as fitted and steel stand, (ref – 5) Lot located in Spaldington Goole, free loading onto purchaser's transport – yes
5	Stainless Steel 45 gallon Barrel Turner Unit, 3 phase, rubber wheels, £20 charge to load onto purchaser's transport, lot located in Chester (ref 4)	12	Street A1 3.2 Ton Overhead Travelling Crane, serial no. 1235701, year of manufacture 2006, dimensions approx. 11m span x 12m gantry length (fully demountable and independent from building), with steel fabricated glass pack lifter with electric hoist, buyer to arrange dismantling and loading of lot, Tipton, vendors comments - Good condition, fully functional
6	Hayseen Sandiacre SWAN NECK FEED CONVEYOR, serial no. 1075-278, 5m high, formerly a feed to multibagger	13	DMN Westinghouse AML300/4TS Rotary Air Seal. Free loading Yes, item located Wrexham, vendors comments - New never used £6000 to buy new, cast iron, body precision bored, tungsten carbide coated bore, rotor fabricated carbon steel, replaceable blades, the blades are hardened steel Hardox 450, bare shaft one round inlet and one square outlet. This is a bare shaft unit and will require motor, drive and guard
		14	Buhler MPSK-28/30-LPTK1 Rotary Air Seal, loaded free of charge yes, located Wrexham, vendors comments- Used but refurbished, this unit is suitable for vacuum or drop through, not suitable for blow lines

Lot	Description	Lot	Description
15	Stainless Steel Receiving Dust Filter Unit Pod, body dia. 760mm, bottom cone height 430mm, inlet section height 200mm, body section 1000mm, top section 200mm height, overall 1650mm, Free loading Yes, item located Wrexham, vendors comments-new unused, with this unit there is items missing i.e. one probe & two solenoids, there is one brand new control panel that comes with unit, you will require 14 filter sleeves to suit cages, subject to the product you will use in the pod (see lot 13 - which will fit this dust filter pod cone outlet)	24	Ten x Sunpack/Xutian C306 PP/PET Strapping Tensioner and Sealers (for pallets and parcels), dimensions approx. 0.51m long x 0.13m high x 0.05m wide each, free loading onto purchaser's transport - Yes, item located in Northamptonshire, vendors comments/condition report - New and Boxed - Strap width: 13mm, Strap Thickness: 0.6mm, Weight: 1.8kg per tool, client reference no. M-14
20	Sunpack/Xutian XT4503 Demo 250-300% Power Pre-Stretch Pallet Wrapper, 1650mm turntable, serial no. 11122221 year of manufacture 2011, dimensions approx. 3m long x 2.75m high x 1.65m wide, capacity 2T, free loading onto purchaser's transport - Yes, item located in Northamptonshire, vendors comments/condition report - Demo condition, heavy Duty, fully functional, comes with toolbox and operating instructions, client reference no. M-02	25	Ten x Sunpack/Xutian B311 PP/PET Strapping Tensioner and Sealers (for pallets and parcels), dimensions approx. 0.28m long x 0.075m high x 0.15m wide each, free loading onto purchaser's transport - Yes, item located in Northamptonshire, vendors comments/condition report - New and Boxed - Strap width: 9-19mm, Weight: 1.3kg per tool, client reference no. M-20
21	Sunpack/Xutian XT4510 Demo 250-300% Power Pre-Stretch Robo Pallet Wrapper, with folding mast and self-contained charger, serial no. 12072432 year of manufacture 2012, dimensions approx. 1.7m long x 2.3m high x 1.25m wide, free loading onto purchaser's transport - Yes, item located in Northamptonshire, vendors comments/condition report - Demo condition, fully functional, removable wheel for transport, comes with toolbox and operating instructions, client reference no. M-04	26	Sunpack/Xutian WK01-30 Demo Desktop Automatic Banding Machine, with foot pedal, dimensions approx. 0.6m long x 0.5m high x 0.35m wide, free loading onto purchaser's transport - Yes, item located in Northamptonshire, vendors comments/condition report - Demo condition, fully functional, ideal for all small banding uses, comes with toolbox and operating instructions, client reference no. M-27
22	Sunpack/Xutian XT551 Demo Top and Bottom Case Sealer, with side belts operation, dimensions approx. 1.9m long x 1.55m high x 0.75m wide, free loading onto purchaser's transport - Yes, item located in Northamptonshire, vendors comments/condition report - Demo condition, fully functional. Inlet and outlet rollers supplied, client reference no. M-06	30	DCE Unimaster Dust Filter Unit, loading free of charge - yes, item located in The Bridgwater, Somerset
23	Sunpack/Xutian SQ6 Demo Fast Fully Automatic Strapping Machine, dimensions approx. 1.4m long x 1.42m high x 0.62m wide, free loading onto purchaser's transport - Yes, item located in Northamptonshire, vendors comments/condition report - Demo condition, fully functional but a small amount of damage on the top arch, client reference no. M-08	31	One Tonne Chain Block, loading free of charge - yes, item located in The Bridgwater, Somerset
		32	Demag 550kg Electric Chain Hoist, loading free of charge - yes, item located in The Bridgwater, Somerset
		33	Loadstar Two Tonne Electric Chain Hoist, loading free of charge - yes, item located in The Bridgwater, Somerset
		34	Three Electro Pneumatic Slides, dimensions approx. 430mm x 430mm, loading free of charge - yes, item located in The Bridgwater, Somerset
		35	Avery 3205ABA Sliding Weight Head Stock Platform Weighing Machine, 210kg, serial no. S-570311, loading free of charge - yes, item located in The Bridgwater, Somerset
		36	Vitalair 1500mm wide Horizontal Laminar Flow Bench Unit (single pass system), ref. no. V/741/97/01, year of manufacture 1997, 240V, with Hepa filter, loading free of charge - yes, item located in The Bridgwater, Somerset

Lot	Description	Lot	Description
37	Riello RL 250 MZ Oil Fired Burner, serial no. 02396005032 (understood to be installed new in 2017), with control panel, loading free of charge - yes, item located in The Bridgwater, Somerset	50	Dustcheck SFKJC9-4 Dust Control Unit, plant no. 50, year of manufacture 2015, dimensions approx. 1m x 1m x 2.4m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 50
38	DCE Unimaster Dust Filter Unit, loading free of charge - yes, item located in The Bridgwater, Somerset (2)	51	Bonfiglioli Product Pump - Lacerator, plant no. 51, dimensions approx. 1.5m x 0.6m x 2m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 51
39	Carrier 250mm Part Taper Screw Hopper Discharge Conveyor, approx. 2m long, with geared electric motor and one discharge outlet, dismantling and loading onto purchaser's transport charge - £150, item located in The Bridgwater, Somerset (81)	52	Powder Grinder/ Pump, plant no. 52, dimensions approx. 0.8m x 0.5m x 1m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 52
40	Carrier 250mm Part Taper Screw Hopper Discharge Conveyor, approx. 2m long, with geared electric motor and one discharge outlet, dismantling and loading onto purchaser's transport charge - £150, item located in The Bridgwater, Somerset (85)	53	Endoline 221 Box Taper/ Erector, plant no. 53, dimensions approx. 2m x 2.2m x 2.2m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 53
41	Carrier 250mm Part Taper Screw Hopper Discharge Conveyor, approx. 2m long, with geared electric motor and one discharge outlet, dismantling and loading onto purchaser's transport charge - £150, item located in The Bridgwater, Somerset (86)	54	SDMO J66K0709753 66kVA Generator, with John Deere engine, plant no. 54, dimensions approx. 2.2m x 1m x 1.5m high, loading charge -£50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 54
42	Carrier 250mm Part Taper Screw Hopper Discharge Conveyor, approx. 2m long, with geared electric motor and one discharge outlet, loading free of charge - yes, item located in The Bridgwater, Somerset (89)	55A	CFS High Sided Conveyor, dimensions approx. 300mm wide belt, 2m x 0.7m wide x 1.9m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, client reference no. 55
43	Carrier 250mm Part Taper Screw Hopper Discharge Conveyor, approx. 2m long, with geared electric motor and one discharge outlet, dismantling and loading onto purchaser's transport charge - £150, item located in The Bridgwater, Somerset (90)	56	Bin/ Box Tipper, plant no. 56, dimensions approx. 1.4m wide x 1.6m long x 1.8m high, 2m x 1.8m x 3.4m high overall, capacity 1500kg, loading charge - £80, item located in Bury St Edmunds, Suffolk, vendors client reference no. 56
44	Taper Discharge Conveyor, approx. 300mm x 2.8m, with mixing system and extra scroll, loading charge - £50, item located in The Bridgwater, Somerset	57	Applied Weighing Powder Weigher, with screw in-feed, plant no. 57, dimensions approx. 1.2m x 1.2m x 2m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 57
45	16 Compartment x 5/10 tonne (Meal cap.) Bolted Section Steel Blending Bin, approx. 12m x 5.5m x 7.7m deep overall, dismantling and loading onto purchaser's transport charge - £5000, item located in The Bridgwater, Somerset	58	Sealey Receiver Mounted Air Compressor, plant no. 58, year of manufacture 2014, dimensions approx. 1.5m x 0.5m x 1m high, capacity 270 litre, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 58
46	Four Rowlands x Two Compartment x 13 tonne (nut cap.) Bulk Outloading Bin Complex, approx. 10m x 3.2m x 5.5m deep overall, each with rack and pinion hand slide discharge, bolted steel entablature, profiled steel cladding, walkways and hooped steel access ladders, dismantling and loading onto purchaser's transport charge - £4000, item located in The Bridgwater, Somerset	59	Three Electric Motors, including one x Bombus tipo GNI 125 26/15. KW II & Two x GNI 80 16/30 - 22KW, plant no. 59, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 59
47	Two Solid Rubber Fork Truck Tyres, each 6.50 - 10, loading free of charge - yes, item located in The Bridgwater, Somerset	60	Kiowa Spring Rewind & Manual Hose Reel, plant no. 60, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 60

Lot	Description	Lot	Description
61	Kiowa Spring Rewind & Manual Hose Reel, plant no. 61, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 61	74	Endoline Top & Bottom Box Taper, with roller for outfeed, plant no. 74, dimensions approx. 1.8m x 0.8m x 1.4m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 74
62	Kiowa Spring Rewind & Manual Hose Reel, plant no. 62, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 62	75	Turndry 53 HP Air Dryer, Atlas Copco OSC95 Oil & Water Separator and Broomwade Air Receiver, plant no. 75, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 75
63	Kiowa Spring Rewind & Manual Hose Reel, plant no. 63, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 63	76	Flow International 5X-55K Water Cutter Pump, 55K PSI pressure, plant no. 76, loading charge - TBC, item located in Bury St Edmunds, Suffolk, vendors client reference no. 76
64	Kiowa Spring Rewind & Manual Hose Reel, plant no. 64, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 64	77	BT LWE180 Electric Pallet Truck, plant no. 77, year of manufacture 2007, capacity 1800kg, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 77
65	Kiowa Spring Rewind & Manual Hose Reel, plant no. 65, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 65	78	BT LWE200 Electric Pallet Truck, plant no. 78, year of manufacture 2016, capacity 2000kg, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 78
66	Cling Film Heat Wrapper, plant no. 66, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 66	79	Karcher Professional HOS 10-20-4M Steam Cleaner, plant no. 79, year of manufacture 2017, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 79
67	Mondial VAP 6000 Steamer, plant no. 67, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 67	80	Six Section F-Powered Pallet Rollers, plant no. 80, (no motor), dimensions approx. each section 1.5m x 1.3m wide x 0.7m high, loading charge - £60, item located in Bury St Edmunds, Suffolk, vendors client reference no. 80
68	MacAllister 60L 1800W Wet Dry Vacuum, plant no. 68, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 68	81	RS Wall Mounted Retractable Hose, plant no. 81, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 81
69	Flowserve Pump, plant no. 69, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 69	82	McNaught Rectracta Wall Mounted Retractable Hose, plant no. 82, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 82
70	Aircosse Mobile Compressor, serial no. 5447/A, plant no. 70, dimensions approx. 1.2m x 0.5m x 1m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 70	83	Hulme Martin Heat Sealer, on stainless steel table, plant no. 83, dimensions approx. 0.8m x 0.6m x 0.8m high, loading charge - TBC, item located in Bury St Edmunds, Suffolk, vendors client reference no. 83
71	Water Cooler, plant no. 71, dimensions approx. 1m x 1m x 2m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 71	84	Elmo Riestche Pump & Airtec RT 2200Side Channel Blower, plant no. 84, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 84
72	Waukesha Cherry Burrell 030/42 Ax Flow Pump, plant no. 72, year of manufacture 41229, dimensions approx. 0.6m x 0.5m x 0.6m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 72		
73	Elmo Rietschle Vacuum Pump, on table/stand, plant no. 73, dimensions approx. 0.7m x 0.5m x 1.2m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 73		

Lot	Description	Lot	Description
85	Pump, on skid, plant no. 85, dimensions approx. 1.2m x 0.5m x 0.6m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 85	98	Hydraulic Ram Pack, in stainless steel cabinet, dimensions approx. 1.1m x 1m x 0.9m high, loading charge -£30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 98
86	Goring Kerr MD Metal Detector, plant no. 86, dimensions approx. 70mm x 100mm aperture, 1.6m x 0.9m x 1.7m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 86	99	Two Bay Five Tier Plastic Shelving, dimensions approx. 1m x 0.5m x 1.8m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 99
87	Goring Kerr MD Metal Detector, plant no. 87, dimensions approx. 400mm x 600mm high, 2.2m x 1.2m x 1.2m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 87	100	Plastic Cupboard, dimensions approx. 0.7m x 0.45m x 1.8m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 100
88	Two Pipe Benders loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 88	101	Work Bench, dimensions approx. 1.5m x 0.6m x 0.9m high, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 101
89	Two Pipe Benders loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 89	102	Plastic Topped Table, on stainless steel frame, dimensions approx. 1m x 1m x 1m high, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 102
90	OK Super Taper & Infeed Rollers loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 90	103	Pump, with valve loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 103
91	14 Bay Galvanised Steel Boltless Pallet Racking, with shelves, dimensions approx. ten bays x 2.4 high x 1m deep x 1.35m high and four bays x 1.5m high x 1m deep x 1.35m wide, loading charge - £60, item located in Bury St Edmunds, Suffolk, vendors client reference no. 91	104	Grundfos Pump loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 104
92	Stainless Steel Two Step Stand, dimensions approx. 1m x 0.8m x 1.4m high, loading charge - TBC, item located in Bury St Edmunds, Suffolk, vendors client reference no. 92	105	Lowara Pump loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 105
93	Two Roller Conveyors, dimensions approx. 0.8m x 0.7m x 0.9m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 93	106	Mobile Nine Rise Stainless Steel Steps, with side rails, dimensions approx. 600mm wide x 2m long x 0.8m wide, top step 1.8m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 106
94	Stainless Steel Conveyor, dimensions approx. 4m long x 300mm belt, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 94	107	Electric Hoist Swivel Arm, dimensions approx. 2m high x 1.5m arm length, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 107
95	Cougar Conveyor, dimensions approx. 3.3m x 260mm belt x 0.9m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 95	108	Stainless Steel Gantry/ Walkway, with side rails, dimensions approx. 5.5m x 0.7m wide, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 108
96	Vertical Flighted Elevator, with Intralox type flighted belt, dimensions approx. 3.3m x 300mm, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 96	109	Three Stainless Steel Gantry/ Walkways, dimensions approx. 5m long x 0.75m wide, loading charge -£100, item located in Bury St Edmunds, Suffolk, vendors client reference no. 109
97	Nederman Air/ Fume Extractor loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 97	110	Mobile Two Rise Inspection Stand, with side rails, dimensions approx. 2m x 1m x 1.6m high, loading charge -£30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 110

Lot	Description	Lot	Description
111	Inspection Gantry/ Walkway, with stairs, dimensions approx. 5m x 0.9m x 1.7m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 111	124	York Fabrications Conveyor, plant no. 14524, dimensions approx. 600mm wide belt x 1.6m long x 1.3m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 124
112	Walkway, dimensions approx. 3.2m x 0.8m x 1.6m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 112	125	Conveyor, dimensions approx. 2m x 0.4m wide LAC, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 125
113	Stainless Steel Floor Stand, dimensions approx. 1.7m x 0.5m x 0.3m high, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 113	126	Introlux Belt Type Conveyor, dimensions approx. 350mm wide belt x 2m long, 0.85m wide x 0.75m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 126
114	TH Houlter Fristam F220A Pump, 7.5kW loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 114	127	Conveyor, with push arm, dimensions approx. 2.7m long x 0.65m wide, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 127
115	Lowara Pump loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 115	128	Conveyor, dimensions approx. 40mm wide belt x 1.6m x 0.7m x 0.8m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 128
116	Ospray Frank 311 Industrial Steam Technology Steamforce loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 116	129	CKF Systems Slatted Conveyor, dimensions approx. 110mm wide belt x 3.1m long x 0.6m wide x 1.2m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 129
117	Marco Line Master Plus Sealer, with tray holders, plant no. 12992, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 117	130	T3S Engineering Introlux Type Conveyor, plant no. 14489, dimensions approx. 220mm wide belt x 1.5m x 0.6m x 0.9m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 130
118	Marco Line Master Plus Sealer, with tray holders, plant no. 13003, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 118	131	Roller Conveyor, dimensions approx. 2m x 0.3m wide x 0.7m high, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 131
119	Mobile Stainless Steel Roller Conveyor, dimensions approx. 1.1m x 0.7m wide x 1.1m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 119	132	Roller Conveyor, with cover, dimensions approx. 1m x 0.3m x 1m high, loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 132
120	Mobile Sloping Conveyor, dimensions approx. 2.5m x 0.7m x 1.1m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 120	133	PCL Machinery Introlux Type Conveyor, plant no. 13859, dimensions approx. 130mm wide belt x 1.7m x 0.6m x 0.9m high, freeloading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 133
121	Flighted Mobile Elevator, plant no. 13870, dimensions approx. 260mm wide belt, from 400mm - 2.6m high, 6m long, loading charge - £80, item located in Bury St Edmunds, Suffolk, vendors client reference no. 121	134	Curved 90 Degree Conveyor, with three lanes, dimensions approx. 650mm wide belt x 3m x 1.1m high, loading charge - £80, item located in Bury St Edmunds, Suffolk, vendors client reference no. 134
122	Mobile Flighted Elevator, plant no. 14523, dimensions approx. 400mm wide belt, from 300mm - 1.3m high, 2.7m long, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 122	135	Curved 90 Degree Conveyor, with three lanes, dimensions approx. 450mm wide belt x 4.5m x 1m high, loading charge - £80, item located in Bury St Edmunds, Suffolk, vendors client reference no. 135
123	Introlux Belt Type Conveyor, plant no. 14503, dimensions approx. 600mm wide Belt x 2.5m long x 0.9m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 123		

Lot	Description	Lot	Description
136	Herbert Conveyor, dimensions approx. 900mm wide belt x 6.5m long x 1m, loading charge - £80, item located in Bury St Edmunds, Suffolk, vendors client reference no. 136	148	Nijhuis Effluent Plant, able to process 27cm of water per hour, c/w DAF Clarifier, serial no. 106162, year of manufacture 2007, Three Pumps, Horizontal Buffer Vessel, Control Panel and Galvanised Steel Gantry, Stainless Steel Tank approx. 2.8m x 4.2m high excluding, with access ladder, De-Watering Screen approx. 800mm wide, on galvanised steel frame, with ladder, square holding vessel and discharge chute, PCM Type 45 1 5 Pump, with macerator, year of manufacture 2013, Flygt Pumps, with two PremiAir valves, Pipe Flocculator, with dosing units, Nijhuis stainless steel skid mounted unit, with associated valves, polymer tank, with flocculent mixer and three dosing units (two with dosing pumps), Hughes Emergency Shower, Siemens Sitrans F M Magflo 5100 W Flow Meter, A O Smith DRE 52 9 N Water Heater, capacity 200L, maximum working pressure 8 bar, 7.6-9kW, with 24L buffer vessel and multistage pump loading charge - TBC, item located in Bury St Edmunds, Suffolk, vendors client reference no. 148
137	Four Rise Inspection Gantry, with side rails, dimensions approx. 2m long x 1.7m wide x 1m high, rails 2.1m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 137		
138	Six Rise Set of Stairs, with side rails, dimensions approx. 2.5m x 1.2m high x 0.7m wide, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 138		
139	Four Rise Conveyor Bridge, dimensions approx. 3.2m x 0.9m wide x 1m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 139		
140	Stainless Steel Mobile Bin/ Tank, with bottom outlet valve, dimensions approx. 1.2m x 0.75m x 1.3m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 140	149	Large Stainless Steel Tank, internal dimensions approx. 9m long x 4m wide x 1.5m deep, external dimensions 9.2m long 4.3m wide x 1.8m deep, overall dimensions 10.2m, stairs 2.97m loading charge - TBC, item located in Bury St Edmunds, Suffolk, vendors comments/condition report - Would make a good swimming pool, client reference no. 149
141	Stainless Steel Mobile Bin/ Tank, with bottom outlet valve, dimensions approx. 1.2m x 0.75m x 1.3m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 141		
142	Flighted Belt Elevator, dimensions approx. flights 45mm high x 300m belt x 4.1m long, loading charge - £40, item located in Bury St Edmunds, Suffolk, vendors client reference no. 142	149A	Stainless Steel Tank, with lids, dimensions approx. 4.2m x 1.3m x 1.8m high, loading charge - £100, item located in Bury St Edmunds, Suffolk, vendors client reference no. 150
143	Turatti De-Watering Conveyor, dimensions approx. 0.5m wide belt x 2m long, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 143	150	Keenan 8m ³ EASI-FEEDER 80 DIET FEEDER, year of manufacture 1996, gross weight 8000kg, axle weight 7200kg, hitch weight 1600kg, with PTO drive and EZ210 scale indicator, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
144	Conveyor, dimensions approx. 0.4m wide belt x 0.9m long x 0.9m high, loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 144	152	Japa 700TR056T PTO DRIVEN LOG PROCESSOR, serial no. 0000008764, date 24/01/13, weight 630kg, rpm 400, hydraulic max pressure 200 bar, blade 700/35, with circular saw blade approx. 700mm dia., splitter blade and discharge conveyor, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
145	Elevatored Flighted Belt Conveyor, dimensions approx. 3m long x 0.4m wide belt, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 145		
146	Trolley, with fire extinguishers and plastic curtain flaps loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 146	153	Agrimaster KA2800 PTO DRIVEN TOPPER, serial no. 83934, year of manufacture 2008, 930kg max, 2.8m wide with three point linkage, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
147	Three Palletsof Plastic Bins / Tubs & Bin Dollies loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 147		

Lot	Description	Lot	Description
154	SIX FLOTATION TYRES, each understood to be Michelin 710/50 R26.5, each fitted steel rim, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport Vendors Comments - Michelin CargoXbib high flotation 710/50 R26.5 170D TL tyres with a red steel rim - They were off a Hawee Trailer	165	350mm dia. Screw Conveyor Components, as set out, comprising one x 3m, one x 2.75m, one x 3.2m, one x 2.05m and one x 3.3m conveyor sections, with three loose conveyor scrolls and two scrolls as fitted, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
155	Schneider Spacial SM Double Door Enclosure, type 1, 3R, 12, 12K and 13, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport	166	Hooped Steel Access Ladder, approx. 6.2m high to platform level, with extension ladder, approx. 2.4m high, with hooped steel frame, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
156	Single Door Control Cabinet, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport	167	Galvanised Steel Ladder, approx. 2.5m high, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
157	MOBILE CHEVRON TROUGH BELT LOADING CONVEYOR, approx. 600mm wide on belt x approx. 12.7m centres long, with geared electric motor drive, 400V and hand hydraulic lift, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport	168	Dustolex 500 CYCLONE SEPARATOR, approx. 1m x 1.2m on frame x approx. 2.4m deep overall, with fork truck lifting channels, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
158	CHEVRON BELT CONVEYOR, approx. 600mm wide on belt, 5m long, with geared electric motor drive, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport	169	Dust Collection Unit, with hopper 1.2m x 750mm x 750mm deep, lifting frame and fork truck lifting channels, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
159	Provenair REVERSAIR S1 2-7 DUST COLLECTION UNIT, approx. 3.4m dia. x 4.2m deep overall, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport	170	PELLETING PRESS, understood to be reconditioned, 55kW, fitted die, with stainless steel pellet chamber, electric motor, approx. 230mm dia. stainless steel feeder screw, approx. 1m long, fitted geared electric motor drive and approx. 300mm dia. stainless steel cased conditioner, approx. 1.8m long, with electric motor drive, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
160	Davidson Sirocco M-Series HD67L Centrifugal Fan, serial no. 9144293, 22kW, with Fenner 22kW electric motor, 2940rpm, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport	171	Galaxy Sivtek GS-48 VIBRO SEPARATOR, machine serial no. 463/12/16/95 0048 C3 8 8000 205616, year of manufacture 2016, approx. 1150mm dia. with steel stand, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
161	Geared Motor Driven Rotary Air Seal, approx. 250mm x 250mm intake, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport	172	BOLTED STEEL TIP HOPPER, approx. 2.5m x 1.7m x 1.6m (average) deep, with slope bottom discharge, steel supports, fork truck lifting channels and inclined trough belt discharge conveyor, 500mm wide on belt, approx. 5m long, fitted geared electric motor, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport
162	DCE Bin Venting Unit, with Donaldson Torit integrated pulse controller, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport		
163	Simon Barron 350mm dia. Screw Conveyor, approx. 5.4m long, with geared electric motor and two discharge outlets, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport		
164	300mm dia. Screw Conveyor, approx. 4.3m long, with geared electric motor drive and three discharge outlets, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport		

Lot	Description	Lot	Description
173	WELDED STEEL STORAGE HOPPER, approx. 2.2m dia. x 3.6m deep overall, with Feedtech RD 930 rotary discharge, serial no. 209 07 001, year of manufacture 2017, fitted geared electric motor drive, open top on hopper and with steel supports, lot located in Gloucestershire, lot will be loaded free of charge onto purchaser's transport	212	Eight Assorted Lockers (no keys) loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 212
200	Lynmoore Engineering Portable Hooded Elevator (no belt), dimensions approx. 6m long x 1.5m wide x 2.4m high, loading charge - £100, item located in Bury St Edmunds, Suffolk, vendors client reference no. 200	213	Two Stainless Steel Lockers, with 112 compartments, dimensions approx. 1.2m x 0.3m x 2m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 213
201	Bead Engineering Stainless Steel Tank, dimensions approx. 2m x 1.2m x 1.8m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 201	214	Ohaus RS155-OOE RS Scale loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 214
202	Bead Engineering Stainless Steel Tank, dimensions approx. 2m x 1.2m x 1.8m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 202	215	Ishida DACS-V-012-SV-PB-1 Checkweigher, dimensions approx. 1.4m x 0.5m x 1.4m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 215
203	Stainless Steel Tank, with pump, dimensions approx. 1.4m x 0.9m x 1.4m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, vendors client reference no. 203	216	Ishida Dacs Checkweigher, dimensions approx. 1.4m x 0.5m x 1.4m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 216
204	Stainless Steel Lidded Tank, dimensions approx. 0.8m x 0.8m x 1.5m high, loading charge - £40, item located in Bury St Edmunds, Suffolk, vendors client reference no. 204	217	Assorted Valves, as set out on pallet loading charge - £30, item located in Bury St Edmunds, Suffolk, vendors client reference no. 217
205	Screw Auger (181) loading charge - TBC, item located in Bury St Edmunds, Suffolk, vendors client reference no. 205	218	Four Pieces, Gilbes Pump, WRAS Pump & Fristam Pump F217A loading charge - £25, item located in Bury St Edmunds, Suffolk, vendors client reference no. 218
206	Case Packing Systems Mobile Elevator/ Conveyor, dimensions approx. 2.6m x 400mm wide belt, 0.9m- 1.2m high, loading charge - £40, item located in Bury St Edmunds, Suffolk, vendors client reference no. 206	219	Pump & Valve loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 219
207	Two Chloride Chargers loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 207	220	Four Pumps/ Maccerators loading charge - £25, item located in Bury St Edmunds, Suffolk, vendors client reference no. 220
208	Nilfisk Alto Pressure Washer & 110V Transformer loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 208	221	Emulsifier loading charge - £25, item located in Bury St Edmunds, Suffolk, vendors client reference no. 221
209	Three Bin Bag Holders loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 209	222	Hayssen Ultima 40 E Form, Fill & Seal Bagging Line (171), with Easyweigh weigher & elevator infeed and various bagging heads, plant no. 14792, tube dia. sizes approx. 145mm, 120mm, 85mm and 45mm, loading charge - £200, item located in Bury St Edmunds, Suffolk, vendors client reference no. 222
210	Three Bin Bag Holders loading charge - £10, item located in Bury St Edmunds, Suffolk, vendors client reference no. 210	223	Webomatic Systems 4000 Twin Chamber Vacpacker, plant no. 15072, loading charge - £40, item located in Bury St Edmunds, Suffolk, vendors client reference no. 223
211	Three Stainless Steel Mobile Trays loading charge - £20, item located in Bury St Edmunds, Suffolk, vendors client reference no. 211	224	llapack Carrera 500mm Wrapper, plant no. 14705, dimensions approx. tray 5m long x 1.3m wide x 1.4m high, loading charge - £100, item located in Bury St Edmunds, Suffolk, vendors client reference no. 224

Lot	Description	Lot	Description
225	Delford SP6000 Wrapper, plant no. 14154, dimensions approx. 4.3m x 1m x 1.4m high, loading charge - £100, item located in Bury St Edmunds, Suffolk, vendors client reference no. 225	238	Four Bitzer OSK7471 Compressors, on skid, with control panel, dimensions approx. 4.5m x 1.4m x 1.4m, loading charge - £100, item located in Bury St Edmunds, Suffolk, client reference no. 238
226	Screw Auger, dimensions approx. 2.2m long x 0.2m wide, loading charge - £40, item located in Bury St Edmunds, Suffolk, vendors client reference no. 226	239	Four Bitzer OSK7471 Compressors, on skid, with control panel, dimensions approx. 4.5m x 1.4m x 1.4m, loading charge - £100, item located in Bury St Edmunds, Suffolk, client reference no. 239
227	Screw Auger, dimensions approx. 2.2m long x 0.2m wide, loading charge - £40, item located in Bury St Edmunds, Suffolk, vendors client reference no. 227	240	Sabroe SMC104S Refrigerant Compressor, on skid, dimensions approx. 1.8m x 1.4m x 1.1m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, client reference no. 240
228	Stainless Steel Mobile Lockable Cage, dimensions approx. 850mm x 850mm x 900mm high, loading charge - £20, item located in Bury St Edmunds, Suffolk, client reference no. 228	241	Sabroe SMC104S Refrigerant Compressor, on skid, dimensions approx. 1.8m x 1.4m x 1.1m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, client reference no. 241
229	Two Stainless Steel Mobile Screens, dimensions approx. 1.5m long x 0.7m wide x 1.5m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, client reference no. 229	242	Baltimore Tower BACVXC 205R Cooling Tower, dimensions approx. 4m x 1.5m x 3.6m high, loading charge - £200, item located in Bury St Edmunds, Suffolk, client reference no. 242
230	Assorted Pumps, Stainless Steel Pipe Fittings & Valves, as set out on pallet, loading charge - £30, item located in Bury St Edmunds, Suffolk, client reference no. 230	243	Two Lochinvar Gas Fired Water Heaters, dimensions approx. 2.4m high x 1m wide, loading charge - £20, item located in Bury St Edmunds, Suffolk, client reference no. 243
231	Titan ES500B 5000L Diesel Tank, loading charge - £100, item located in Bury St Edmunds, Suffolk, client reference no. 231	300	BOLTED SECTIONAL GALVANISED STEEL MEZZANINE FLOOR/ PLANT ENTABLATURE, approx. 11m x 6m x 6.6m high, with seven RSJ vertical supports, tubular steel hand rail and high level access platform (formerly lot 38) item located in Islip Kettering. Dismantling and loading charge £3500 + vat
232	Titan H1800TT 1800L Diesel Tank, loading charge - £50, item located in Bury St Edmunds, Suffolk, client reference no. 232	301	Clayton SEG-254-2 3914kg/h GAS FIRED STEAM GENERATOR, serial no. B7295, year of manufacture 2007, with pump skid assembly and immediate steam control equipment (formerly lot 40) item located in Islip Kettering. Dismantling and loading charge £1250 + vat
233	Nixon Pressure Washer, dimensions approx. 1.2m x 0.6m x 0.8m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, client reference no. 234	302	Fountain Mixer/ Live Bin, approx. 1.8m dia. x 2.8m deep overall, with 5.5/ 2.75kW electric motor and steel supports (formerly lot 88) item located in Islip Kettering. Dismantling and loading charge £100 + vat
234	Cintex Large Aperture Metal Detector, plant no. 14962, dimensions approx. 900m x 280mm app, 1.6m x 1.4m x 1.3m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, client reference no. 234	303	One x 10m x Interroll 590mm wide (on belt) FLAT BELT CONVEYOR, year of manufacture 2016, (unused), approx. 10m long, with electric motor drive and belting on one pallet (please note this lot is part of combination lot XXX) (formerly lot 268) item located in Thrapston, Kettering. Dismantling and loading charge £50 + vat
235	Tektamet Metal Detector, plant no. 15077, dimensions approx. 550mm x 200mm app, 2.2m x 1.2m x 1.4m high, loading charge - £50, item located in Bury St Edmunds, Suffolk, client reference no. 235		
236	Conveyor, dimensions approx. 1.8m x 0.8m x 1m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, client reference no. 236		
237	Conveyor, dimensions approx. 1.8m x 0.8m x 1m high, loading charge - £30, item located in Bury St Edmunds, Suffolk, client reference no. 237		

Lot	Description	Lot	Description
304	One x 10m x Interroll 590mm wide (on belt) FLAT BELT CONVEYOR, year of manufacture 2016, (unused), approx. 10m long, with electric motor drive and belting on one pallet (please note this lot is part of combination lot XXX) (formerly lot 269) item located in Thrapston, Kettering. Dismantling and loading charge £50 + vat	311	Five x 10m x Interroll 590mm wide (on belt) FLAT BELT CONVEYOR, year of manufacture 2016, (unused), approx. 50m long, with electric motor drive and belt on five pallets (please note this lot is part of combination lot 318) (formerly lot 276) item located in Thrapston, Kettering. Dismantling and loading charge £50 + vat
305	One x 10m x Interroll 590mm wide (on belt) FLAT BELT CONVEYOR, year of manufacture 2016, (unused), approx. 10m long, with electric motor drive and belting on one pallet (please note this lot is part of combination lot XXX) (formerly lot 270) item located in Thrapston, Kettering. Dismantling and loading charge £50 + vat	312	Five x 10m x Interroll 590mm wide (on belt) FLAT BELT CONVEYOR, year of manufacture 2016, (unused), approx. 50m long, with electric motor drive and belt on five pallets (please note this lot is part of combination lot 318) (formerly lot 277) item located in Thrapston, Kettering. Dismantling and loading charge £50 + vat
306	One x 10m x Interroll 590mm wide (on belt) FLAT BELT CONVEYOR, year of manufacture 2016, (unused), approx. 10m long, with electric motor drive and belting on one pallet (please note this lot is part of combination lot 318) (formerly lot 271) item located in Thrapston, Kettering. Dismantling and loading charge £50 + vat	313	15 Interroll Fabricated Steel Conveyor Stands, each stand approx. 830mm x 1.28m high, on one pallet (please note this lot is part of combination lot 318) (formerly lot 278) item located in Thrapston, Kettering. Dismantling and loading charge £25 + vat
307	One x 10m x Interroll 590mm wide (on belt) FLAT BELT CONVEYOR, year of manufacture 2016, (unused), approx. 10m long, with electric motor drive and belting on one pallet (please note this lot is part of combination lot 318) (formerly lot 272) item located in Thrapston, Kettering. Dismantling and loading charge £50 + vat	314	15 Interroll Fabricated Steel Conveyor Stands, each stand approx. 830mm x 1.28m high, on one pallet (please note this lot is part of combination lot 318) (formerly lot 279) item located in Thrapston, Kettering. Dismantling and loading charge £25 + vat
308	Three x 10m x Interroll 590mm wide (on belt) FLAT BELT CONVEYOR, year of manufacture 2016, (unused), approx. 30m long, with electric motor drive and belt on three pallets (please note this lot is part of combination lot 318) (formerly lot 273) item located in Thrapston, Kettering. Dismantling and loading charge £50 + vat	315	15 Interroll Fabricated Steel Conveyor Stands, each stand approx. 830mm x 1.28m high, on one pallet (please note this lot is part of combination lot 318) (formerly lot 280) item located in Thrapston, Kettering. Dismantling and loading charge £25 + vat
309	Five x 10m x Interroll 590mm wide (on belt) FLAT BELT CONVEYOR, year of manufacture 2016, (unused), approx. 50m long, with electric motor drive and belt on five pallets (please note this lot is part of combination lot 318) (formerly lot 274) item located in Thrapston, Kettering. Dismantling and loading charge £50 + vat	316	15 Interroll Fabricated Steel Conveyor Stands, each stand approx. 830mm x 1.28m high, on one pallet (please note this lot is part of combination lot 318) (formerly lot 281) item located in Thrapston, Kettering. Dismantling and loading charge £25 + vat
310	Five x 10m x Interroll 590mm wide (on belt) FLAT BELT CONVEYOR, year of manufacture 2016, (unused), approx. 50m long, with electric motor drive and belt on five pallets (please note this lot is part of combination lot 318) (formerly lot 275) item located in Thrapston, Kettering. Dismantling and loading charge £50 + vat	317	15 Interroll Fabricated Steel Conveyor Stands, each stand approx. 830mm x 1.28m high, on one pallet (please note this lot is part of combination lot 318) (formerly lot 282) item located in Thrapston, Kettering. Dismantling and loading charge £25 + vat
		318	Combination Lot – Lots 303 - 317 offered for sale as a one lot contract, please note – the final highest bid on this lot will only be accepted if the accumulative total for lots 303 – 317 is lower than the final highest bid on combination lot 318

Lot	Description	Lot	Description
319	Sprout-Matador CZD 2 x 8W Combi-Zone CZD 2x8W LPG FIRED TWO DECK EXTRUDED PRODUCT DRYER, serial no. 057509, spec. no. 0119200, item no. 98, year of manufacture 2002, four sections each approx. 3.9m x 2.2m x 2.6m high, with integrated geared elect+C22ric motor belt drive, two Gastech Energi LPG Eclipse 160Tah-R-SP 400kW burners, order no. 310877, year of manufacture 2008, stainless steel spreader unit, with rotary air seal, access platform, conveyor chain, screw conveyor discharge fitted air seal and conveyor trays as set out on pallets (formerly lot 435) item located in Thrapston, Kettering. Dismantling and loading charge £750 + vat	336	Lincat EB3-A006 Hot Water Dispenser (no plug), 230V, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
320	Sprout-Matador I/B15 VERTICAL FOUNTAIN MIXER / WEIGHER, ID no. 057537, spec. no. 011200, year of manufacture 2002, approx. 1.4m dia. x approx. 2.4m deep, with three loadcells, geared motor drive rack & pinion and discharge slide (formerly lot 436) item located in Thrapston, Kettering. Dismantling and loading charge £150 + vat	337	Two Stainless Steel Trays, each approx. 650mm x 400mm, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
321	VERTICAL FOUNTAIN MIXER/ LIVE BIN, approx. 1.4m dia. x 2.4m deep, with geared electric motor drive (formerly lot 454) item located in Thrapston, Kettering. Dismantling and loading charge £75 + vat	338	Stainless Steel Drainage Tray, approx. 1.6m x 200mm, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
322	FTH PSH-DK 13.5/16-16-13-11 PALLETISER, serial no. 932071, year of manufacture 1993, 1300 bag per hour max. with equipment as set out and access staircase (formerly lot 461) item located in Thrapston, Kettering. Dismantling and loading charge £750 + vat	339	Syspal Knee Operated Stainless Steel Sink, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
330	Dixie-Narco P1223 DM276E MC/SII-7 Drinks Vending Machine, serial no. 76250555 DC, year of manufacture 2004, temperature class N, 240V, with keys, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	340	Stainless Steel Boot/ Shoe Rack, approx. 2.5m x 350mm x 500mm, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
331	Mobile Dust Filter Unit, year of manufacture 2011, 240V, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	341	Two Sanitize Stainless Steel Rinse Trays, each approx. 650mm x 550mm, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
332	Two Stainless Steel Bollards, each approx. 1m high, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	342	Stainless Steel Powered Plastic Slat Conveyor, approx. 1.3m x 400mm wide on belt (no motor), free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
333	Assorted Hoses, as set out in drum, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	343	Stainless Steel Gravity Roller Conveyor, approx. 1.5m x 500mm wide on rolls, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
334	Mobile Stainless Steel Tank, approx. 1.2m x 600mm x 350mm, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	344	Two Stainless Steel Bollards, each approx. 1.2m high, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
335	Avery Berkel HL122 Platform Weighing Scale, with digital read out, max. 30kg, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	345	Assorted Nordson Glue Applicator Spares, including gun modules and hoses, as set out in barrel, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
		346	Mobile Stainless Steel Screw Auger, approx. 2.7m long x 170mm dia., with adjustable outfeed belt conveyor and two SEW electric motors (0.55kW & 0.37kW), 240V, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
		347	Stainless Steel Framed Powered Roller Conveyor, approx. 2.5m x 460mm wide on rollers (no motor – motor available, please contact vendor for further information), free loading onto purchaser's transport - yes, item located in Bolton, Lancashire
		348	Stainless Steel Framed Plastic Slat Conveyor, approx. 1.4m x 1.3m, with two SEW electric motors, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire

Lot	Description	Lot	Description
349	Quantity of Plastic Slat Conveyors, as set out in barrel, tub and on floor, up to approx. 650mm wide, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	370	Le Coq 530 Sieve, with 7.5kW motor (refurbished - shotblasted seven re-sprayed), plant no. 2, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors comments/condition report - Fully tested, client reference no. 2
350	Broomwade 06A Compressed Air Dryer, serial no. 842525, 240V, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	371	Van Aarsen C750 Pellet Press, with 160kW motor, plant no. 4, free loading onto purchaser's transport - Yes, item located in TBC, vendors client reference no. 4
351	Ecolab Stainless Steel Buffer Detergent Tank, approx. 800mm x 1.1m x 450mm, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	372	Andritz HFC Compactor. 1500mm barrel length. 160kw motor. reconditioned, plant no. 68, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors comments/condition report - Reconditioned, client reference no. 68
352	Ecolab Stainless Steel Buffer Detergent Tank, approx. 800mm x 1.1m x 450mm, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	373	Turner No.3 Vertical Pellet Cooler, with integrated dust/fines screen and Halifax fan, 8t/hr (refurbished), plant no., dimensions approx. 3300mm tall, free loading onto purchaser's transport - Yes, item located in TBC, vendors comments/condition report - Reconditioned, client reference no. N/A
353	Stainless Steel Framed Plastic Slat Conveyor, approx. 1m x 350mm wide on belt, with electric motor, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	374	PTN SR200E Super Rotor Sifter, sifting chamber, with screen deck, outlet for fines and product inlet/outlet, serial no. 143-08-754, plant no. 8, year of manufacture 2008, free loading onto purchaser's transport - Yes, item located in TBC, vendors client reference no. 8
354	Fans and Blowers Ltd Materials Blowers, with electric motor, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	375	K6 Conditioner, c/w 7.5kW motor (refurbished), plant no. 11, dimensions approx. 2300mm x 450mm dia., free loading onto purchaser's transport - Yes, item located in Kidderminster, Worcestershire, vendors comments/condition report - Reconditioned, client reference no. 11
355	Mil-Tec AP.205 Pneumatic Waste Baling Press, serial no. 2602 4437, year of manufacture 2002, 14 litre (understood to have been in storage – hardly used), free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	376	Anyang Geinco Drying System, with burner, feeder, cyclone, vessels and ducting, plant no. 13, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 13
356	Water Pump, with fitted stand and GNP electric motor, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire	377	Fluid Bed Dryer, plant no. 15, year of manufacture 1997, dimensions approx. 4.5m x 1.2m deep, free loading onto purchaser's transport - Yes, item located in Moreton Valance, Gloucestershire, vendors client reference no. 15
357	CHS Engineering Ltd KK 540 Non Ferrous Baling Press, serial no. 1585, year of manufacture 2013, 415V, free loading onto purchasers transport - yes, item located in Bolton, Lancashire, vendors comments - fully auto, currently used for bailing cable	378	UMT Paladin P2400-300/2R Pellet Press, with new rotor, bearings and one pair of rolls (no motors) (dismantled), serial no. A26-2785REV, plant no. 16, year of manufacture 2002, free loading onto purchaser's transport - Yes, item located in ECF, vendors client reference no. 16
359	Five Buhler Filter Baskets, with socks, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire		
360	Ten Rise Stainless Steel Access Ladder, approx. 3.9m high, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire		
361	Assorted Shovels, Scrapers, Squidges & Brushes, as set out in plastic tub, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire		
362	12 Plastic Stacking Trays, each approx. 700mm x 600mm, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire		
363	Powered Roller Conveyor Table, approx. 4.2m x 1.4m wide on rolls, free loading onto purchaser's transport - yes, item located in Bolton, Lancashire		

Lot	Description	Lot	Description
379	Orbit 225-175 Pellet Press, c/w conditioner, force feeder, mounted on a self-contained frame (refurbished - recently used on woodchip), plant no. 17, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 17	388	Simon Barron Siscan Rotary Brush Screen, 15kW motor (refurbished), plant no. 32, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 32
380	Alvan Blanch RV420 Roller Mill, 15kW motor mounted on heavy duty frame to support tote bin (tote bin not included), plant no. 19, dimensions approx. 355mm rolls dia. x 420mm wide made from solid chilled cast iron, free loading onto purchaser's transport - Yes, item located in ECF, vendors client reference no. 19	389	Airmaster RJC 18 1 36 Filter Unit, serial no. 971183052, plant no. 34, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 34
381	Crocus E180 Bucket Elevator, nord drive 5.5kW, serial no. 18124/1, plant no. 20, year of manufacture 2016, dimensions approx. 180mm wide steel buckets x 7.8m height, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 20	390	Airmaster RJC 18 1 36 Filter Unit, serial no. 971183050, plant no. 35, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 35
382	Feedtech Conditioner, with stainless steel construction, 11kW (as new condition), plant no. 21, year of manufacture 2018, dimensions approx. 500mm dia. x 2.5m long, free loading onto purchaser's transport - Yes, item located in Kidderminster, Worcestershire, vendors client reference no. 21	391	F.LLI Ferrari FR 502 N4A/3 RD90 Centrifugal Fan, serial no. 1473566, plant no. 36, year of manufacture 2014, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 36
383	Rotaval BS 400 Blow Through Rotary Seal, 1.1kW motor (refurbished), serial no. 005199.01.01, plant no. 22, dimensions approx. 15in inlet x 5in outlet, free loading onto purchaser's transport - Yes, item located in Kidderminster, Worcestershire, vendors client reference no. 22	392	F.LLI Ferrari FR 502 N4A/3 RD90 Centrifugal Fan, serial no. 1473565, plant no. 37, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 37
384	GAF RB-1A Liquid Bag Filter, serial no. 3973, plant no. 27, year of manufacture 1988, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 27	393	WAM Stainless Steel Silo Venting Filter, plant no. 39, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 39
385	Airmaster AUTO M Dust Filter Unit, 2.2kW, 15m, serial no. 90133140, plant no. 28, dimensions approx. 830mm x 750mm x 2430mm, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 28	394	WAM Stainless Steel Silo Venting Filter, plant no. 40, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 40
386	Super-Flo Conveyor, with discharge outlet, plant no. 30, dimensions approx. 200mm x 4m long, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 30	395	Mono Pumps MH60R5 Progressive Cavity Pump, serial no. 30/107066/B, plant no. 41, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 41
387	Rotolok Air Seal, 2.2kW (reconditioned), plant no. 31, dimensions approx. 675mm height, 490mm x 490mm intake, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 31	396	Alfa Laval SR/3/027/LS SR Rotary Lobe Pump, serial no. 93 0008 /01C, plant no. 42, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 42
		397	SSP Pump, plant no. 43, year of manufacture 2001, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 43
		398	Stainless Steel Weighing Hopper, with load cell and level sensor, plant no. 46, dimensions approx. 900mm dia., free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 46

Lot	Description	Lot	Description
399	HPV 645 Stainless Steel Hopper, plant no. 47, dimensions approx. 600mm dia., free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 47	410	Milltech CF33 Chain & Flight Conveyor, with electric motor torque arm speed reducer and one discharge outlet, plant no. 58, dimensions approx. 2.8m long x 500mm wide, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 58
400	Halifax 27 MBI Centrifugal Fan, 22kW, serial no. 29088, plant no. 48, dimensions approx. 500mm dia. intake, 350mm x 550mm delivery, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 48	411	Milltech CF55 Chain & Flight Conveyor, with geared electric motor drive and one discharge outlet, plant no. 59, dimensions approx. 3.1m long x 700mm wide, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 59
401	Hopper Discharge Conveyor, plant no. 49, dimensions approx. twin 200mm dia. part taper screw, 2000mm long, 1450mm x 430mm opening, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 49	413	DCE Unimaster Dust Filter Collection Unit, plant no. 60, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 60
402	Milltech CF22 Chain & Flight Conveyor, serial no. E8313, plant no. 50, dimensions approx. 2.4m centres long, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 50	414	Cool Technology Air Receiver, 490 litres, plant no. 61, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 61
403	DCE DLM V4F Bag Dust Collector, 0.75kW motor, serial no. 14120, plant no. 51, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 51	415	Heaton Green Sack Tip Dust Collection Unit, serial no. 2038, plant no. 62, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 62
404	Tapered Bin Discharger, with geared motor and discharge outlet, plant no. 52, dimensions approx. 2.4m long, 1.4m x 370mm flange, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 52	417	Airmaster MJX20/M/5/6 Dust Filter, 5.5kW, 105a, serial no. 96118052, plant no. 64, dimensions approx. 1100mm x 930mm x 3300mm high, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 64
406	Flebu Ticon TRL 205/125 Fan, with butterfly valve, 0.75kW motor, serial no. 980651, plant no. 54, dimensions approx. 4in inlet x 4in valve, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 54	418	Screw Conveyor, with spray hopper, plant no. 65, dimensions approx. 14in dia. screw, 4800mm long, half pitch for 1500mm, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 65
407	Bin Discharger, with stainless steel case and screw (no motor), plant no. 55, dimensions approx. 1500mm long, 500mm half pitch, 10in dia., free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 55	419	Milltech Stainless Steel Double Deck Cooler, plant no. 66, dimensions approx. 2900mm x 2100mm, capacity, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 66
408	Geared Motor Driven Rotary Air Seal, plant no. 56, dimensions approx. 135mm x 100mm intake, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 56	500	Schlumberger 2in Bronze Mechanical Flow Meter (suitable for water) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT001
409	Fulton Blowdown Vessel, plant no. 57, dimensions approx. 3in inlet/outlet, capacity 16L, free loading onto purchaser's transport - Yes, item located in Kempsey, Worcestershire, vendors client reference no. 57	501	Clare A203B High Voltage Flash Tester free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT002

Lot	Description	Lot	Description
502	Elmac CE401BSDE Stainless Steel Flame Arrestor (understood to be unused) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT003	510	Carlson AF Steril144626 Filter Elements (one box - understood to be unused), dimensions approx. 400mm x 400mm, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT011
503	Elmac CE401BSDE Stainless Steel Flame Arrestor (understood to be unused) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT004	511	Five Cono Stainless Steel Candle Filter, dimensions approx. 400mm high x 200mm dia., free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT012
504	Totton PC3 34D4 Water Pump, single phase 1/2in inlet and outlet (understood to be unused) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT005	512	Two DPL 3in Stainless Steel Filter Housings (baskets excluded) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT013
505	Stuart Bronze Water Pump, single phase, 25mm inlet and outlet (understood to be unused) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT006	513	Rhelm 2in Basket Filter, with stainless steel jacket, dimensions approx. 500mm long, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT014
506	Labour 15Q Stainless Steel Slurry Pump, with mech seal, approx. 2.25in x 2.25in, dimensions approx., free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT007	514	Rhelm 2in Basket Filter, with stainless steel jacket, dimensions approx. 400mm long, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT015
507	Labour 20Q Stainless Steel 20Q Slurry Pump, with mech seal, approx. 3in x 2.50in free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT008	515	Rhelm 2in Stainless Steel Basket Filter, with retro fitted jacket free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT016
508	Worthington/ Simpson 65cph250 316 Stainless Steel Bareshaft Pump, dimensions approx. 4in x 2.50in, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT009	516	Stainless Steel 3in Dairy Basket Filter, dimensions approx. 600mm long, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT017
509	Labour A60LV Stainless Steel Bareshaft Pump, 100 gpm @ 68ft head free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT010	517	Stainless Steel 3in Dairy Basket Filter, dimensions approx. 400mm long, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT018

Lot	Description	Lot	Description
518	Stainless Steel 2in Dairy Basket Filter, dimensions approx. 500mm long, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT019	526	AES Stainless Steel Seal Potthermo Syphon Reservoir capacity 10L vol. x 11 bar pressure, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT027
519	Mannesman Stainless Steel 25mm Flow Meter, serial no. C10AG19M5VP22/HC628 capacity 100L/pm, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT020	527	Krohne H250 Stainless Steel Flow Meter (understood to be unused), serial no. 7/123312.001 free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT028
520	Four VeeBee Stainless Steel Y Strainers, one x 2in, one x 1.5in and two x 1in, with baskets free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT021	528	BM Eight Head Inline 0.5L Filler Pneumatic/Electric Diving Nozzles, dimensions approx. 2100mm high x 2100mm wide x 1250mm deep, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT029
521	Six Pall Assorted Stainless Steel Filters free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT022	529	Harland Saturn High Speed Rotary Labeller, with controls free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Taken out as a working machine, been stored for 3 years, ex pharma use, client reference no. CAT030
522	Pall Stainless Steel Inline Filter, dimensions approx. 200mm dia. x 1500mm high, capacity 10 bar working, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT023	530	Charvet Pro-900 Stainless Steel Square Tilting Pan, with direct gas heating, serial no. GISBR401 free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT031
523	Aluminium 12in Pneumatic Iris Valve free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT024	531	Puma Stainless Steel Brewery Pump (new seal and bearings fitted), dimensions approx. 2.5 x 2, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT032
524	Flammable Liquid Store, dimensions approx. 1450mm wide x 1290mm total height, including feet x 710mm deep, useable storage height is 1210mm, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT025	532	MEC 455 Bench Top Hot Jaw Bag Sealer, with foot control and variable heat settings, single phase, 120W free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT033
525	AES Stainless Steel Seal Potthermo Syphon Reservoir capacity 10L vol. x 11 bar pressure, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT026	533	Four Salter/ Metler & Avery Scales (power leads excluded) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - All energise and illuminate, client reference no. CAT034

Lot	Description	Lot	Description
534	Four Shafts & Bonded Impellers, with chemical resistant coating, dimensions approx. 130mm dia. x 650mm long, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - To fit laboratory drill type chucks, client reference no. CAT035	542	Fenner Series M Agitator, with three blade prop, 0.33kW geared drive @ 340 rpm, dimensions approx. 130mm dia., free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT043
535	APV HDH37 Agitator, with a three blade prop and 0.37kW motor drive, dimensions approx. 300mm dia. x 1220mm long shaft, capacity running at 234rpm, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT036	543	SEW R37/112D17104/1130 Eurodrive Motor Gearbox, 0.37kW @ 19rpm free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT044
536	Lightnin Agitator, with geared drive and pedestal, 0.25kW @ 285rpm free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT037	544	A.P.V. Overmix Scrape Wall Mixer, with stainless steel jacket (tested) stands on four tubular stainless steel legs, manual butterfly discharge capacity 1000L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT045
537	Trans-Chem TKGMVT Three Blade Prop Impeller, with 0.37kW geared drive @ 126 rpm, dimensions approx. 250mm dia. x 1370mm long shaft, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT038	545	500L Mild Steel Ribbon Blender, with steel legs chain driven geared drive free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT046
538	Lightnin LL25 Three Blade Prop Agitator, with steady ring and 0.25kW geared motor @ 306 rpm, dimensions approx. 800mm long shaft, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT039	546	Stainless Steel 1000L Tank, with mild steel water jacket (no pressure), 2in bottom centre outlet dished bottom. free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT047
539	A.P.V. Overmix Scrape Wall Mixer, with stainless steel jacket (tested) stands on four tubular stainless steel legs, manual butterfly discharge capacity 1000L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT040	548	Inline Pipe Sight Glasses, one x 1in glass lined, one x Rhodes 2in sight glass and two x 2in mild steel sight glasses free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT049
540	Morstan Clamp on Agitator, with geared drive, 0.25kW @ 400rpm free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT041	549	Worthington/ Simpson 50 CR 160 Stainless Steel Bareshaft Centrifugal Pump, close coupled unit driven, 5.5kW, 2990rpm motor free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT050
541	Lightnin P25A Air Driven Bolt on Agitator free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT042	550	Ingersoll Rand/ Dresser 40-250-CR-200 1.5in x 1in Bareshaft Pump, with stainless steel duplex (refurbished) capacity 316L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT051

Lot	Description	Lot	Description
551	Steel Cage, with assorted stainless steel valves and actuators free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT052	559	HMD TC-16 Stainless Steel Magdrive Pump Set, 1.5kW motor, dimensions approx. 1in x 1in ports, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT060
552	Brown Pestell Geared Agitator, with gearbox mounted, dimensions approx. 120mm dia. impeller x 500mm long stainless steel shaft, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT053	561	Wilden M8 Mild Steel 2in Double Diaphragm Pump, with rubber trim free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT062
553	Greaves FGM-2 Heavy Duty Flange Mounted Mixer, 1.5kW motor (for high viscosity fluids - shaft excluded) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT054	562	Sandpiper DNSA-2 Aluminium 2in Pump, with flap valves and rubber trim free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT063
554	Greaves FPGD-1/2 Clamp, on geared mixer, 0.55kW drive free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT055	563	Flotronic 710 Stainless Steel Pump, with external jacket and PTFE trim, dimensions approx. 1in x 1in, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT064
555	Lightnin LP220VH Variable Speed Bolt, on agitator, 2.2kW drive free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT056	565	Blagden B4001AABBBU Aluminium 1.5in Pump, with buna trim (understood to be unused) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT066
556	Six Galvanised Gravity Rollers, on stainless steel frames, dimensions approx. 3m long x 375mm wide overall, 50mm dia., free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT057	566	Perri-Plas Stainless Steel Jacketed High Speed Mixer capacity 250L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, last used on plastic pellets, client reference no. CAT067
557	John Crane Seals & Part Seals (understood to be unused) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT058	567	Kingspan 316 Stainless Steel Tank, with two heating elements fitted fully lagged and clad capacity 1000L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT068
558	Cotswolds Mild Steel IBC Cone Bottom, with slide valve and fork lift slots, dimensions approx. 1120mm x 1320mm x 1620mm high, 300mm x 300mm bottom outlet x 450mm dia. top manway, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT059	568	Clarke Bench Top Sand Blast Cabinet, complete. free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT069

Lot	Description	Lot	Description
569	Stainless Steel Tank, with stainless steel bridge and partial lids, capacity 800L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, ex brewery, client reference no. CAT070	577	Lewa PHV-K Stainless Steel Metering Pump, with FLP motor (understood to be unused), serial no. 430024-010-001 year of manufacture 2001, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT078
570	Niro 2000L Paddle Blender, with fitted 4kW geared drive free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Was last used blending wines which is why it is orientated at an angle, it will blend light powders and slurries but will need to be put in the horizontal plane, in excellent condition, client reference no. CAT071	578	Gough 44in Stainless Steel Top Gallery Ring, with outlet for a vibrating sieve free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT079
571	Cumberland D Pilot Plastics Granulator, with 5.5hp drive and feed chute free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT072	579	Stainless Steel Sink, dimensions approx. 800mm x 570mm x 900mm high, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT080
572	Hydrovane 23PUM Compressor, 7.5kW motor, serial no. 23HV308982/1 free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT073	580	Siemens Elmo 2BL-100-2NC00-1 Vacuum Pump free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT081
573	Hughes Wall Mounted Safety Shower, with eye bath and umbilical eye wash free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT074	581	Turbo Fan, single phase, dimensions approx. 300mm dia., free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT082
574	Hughes Wall Mounted Safety Shower, with eye bath and umbilical eye wash free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT075	582	2000L Stainless Steel Single Skin Floor Mounted Tank, with 2in outlet open top, the rim forming a CIP ring fitted, 2in flange, welded platform to take an agitator, dimensions approx. 1350mm dia. x 1400mm straight side and bottom dish, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT083
575	Hughes Wall Mounted Safety Shower, with eye bath and umbilical eye wash free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT076	583	Agate & General Stone Cutters Laboratory Cone Mill, single phase free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT084
576	Stork FRE-80-170 Stainless Steel Self-Priming Centrifugal Pump, set on a mild steel base long coupled to a 11kW motor, dimensions approx. 3in x 3in, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT077	584	Watson/Marlow 501-D1B Peristaltic Pump Set, 188rpm, 0.25kW, three phase free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT085

Lot	Description	Lot	Description
585	Watson/Marlow Peristaltic Pump Set, 188rpm, 0.25kW, three phase free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT086	594	Stainless Steel Bare Shaft Horizontal, on stainless steel legs, dimensions approx. 150mm wide belt x 1520mm long x 900mm high, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT095
586	Watson/Marlow Peristaltic Pump Set, 188rpm, 0.25kW, three phase free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT087	595	Stainless Steel Reactor, with a stainless steel jacket mounted in galvanised steel frame, internal pressure 100 psi, 200 psi test, full vacuum jacket 180 psi, 280 psi test (no driven body only) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT096
587	Spiroflo Stainless Steel Flexible Auger, with feed hopper and de-lumper (tested), dimensions approx. approx. 2.5m long spring, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT088	596	Salter Check Roller Weigher Mounted, on concrete base free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Last used on 50kg bags, client reference no. CAT097
588	Stainless Steel Mobile 8in dia. Auger, with geared drive, dimensions approx. approx. 14ft long, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT089	597	Rotan Stainless Steel Integral Gear Pump Set, dimensions approx. 2.5in ports, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT098
589	Stainless Steel Big Bag Station, with pressed mild steel plate rotary valve free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Unsure if working, client reference no. CAT090	598	Elmo 1500kg Scissor Lift, hydraulic / electric hoist, with safety skirt attached, dimensions approx. 1500mm x 1000mm, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT099
590	J.L. Engineering Ltd 2006 Stainless Steel 250L Lug Mounted Knock Out Pots free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT091	599	John Dore Stainless Steel 2000L Tank, with slight cone bottom, 2in outlet lagged and clad in aluminium on four mild steel leg and internal steam coil open top free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT100
591	J.L. Engineering Ltd 2006 Stainless Steel 250L Lug Mounted Knock Out Pots free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT092	600	Kady 1000L Stainless Steel Wet Mill / Homogeniser, with 150mm bottom driven homogenising work head, stainless steel jacket, 75hp FLP motor and soft starter free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT101
592	J.L. Engineering Ltd 2006 Stainless Steel 250L Lug Mounted Knock Out Pots free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT093		
593	J.L. Engineering Ltd 2006 Stainless Steel 250L Lug Mounted Knock Out Pots free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT094		

Lot	Description	Lot	Description
601	Fairfield Hytech Stainless Steel 1500L Horizontal Vessel, with a half dimple jacket to the lower half of vessel, tested to 11 bar, insulated and stainless steel clad free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT102	608	Hindle 6in Full Bore Stainless Steel Ball Valve free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT109
602	Grundy 800L Grundy Vessel, with 4.5 ton internal 22mm dia. copper coil, mounted on three legs and stainless steel skid, dimensions approx. 1100mm overall width x 2100mm high x 2200mm long, 820mm skid width, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Which were part of a CIP system, ex dairy, client reference no. CAT103 - Tank Two	609	Hindle 6in Full Bore Stainless Steel Ball Valve free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT110
603	Stainless Steel Header Tank, with lid, fitted large stainless steel float attached to water inlet valve, mounted on three legs capacity 90L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT104	610	Hindle 6in Full Bore Stainless Steel Ball Valve free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT111
604	Pan-Tecnica 1L Single Shot Pneumatic Depositor, adjuster for the stroke which in turn reduces the fill capacity free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT105	611	Jamesbury 6in Reduced Bore Stainless Steel Ball Valve free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT112
605	DCE UMA-152 Dust Unit, with controller and rework bucket free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT106	612	Dalton Stainless Steel 20L Twin Arm Planetary Mixer, with full controls v/s unit free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT113
606	Grundy 800L Vertical Stainless Steel, with oval side manway, 3in outlet on mild steel legs, manway has level float switch, dished top and bottom, dimensions approx. 1100mm overall width x 2100mm high x 2200mm long, 820mm skid width, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, ex beer tank, client reference no. CAT107 - Tank One	613	Mono SH40 Bareshaft Stainless Steel Pump free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT114
607	Pamasol 0.5L Single Shot Liquid Filler, adjustable for smaller fills, stainless steel contact parts and foot controller free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT108	614	Labour A60LV Stainless Steel Bareshaft Pump, dimensions approx. 2.5in x 3in suction, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT115
		615	Edmo TSE Hi-Lift 1000 kg Pallet, three phase hydraulic/ electric mechanism, with stand away umbilical switch plus around safety cut-off switches (unused), dimensions approx. lift cradle 1040mm x 1200mm, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT116
		616	Pascall Engineering 1418 Vibratory Drum Shaker, single phase, 240V. fitted with removable 60L stainless steel drum and clamp on lid free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT117

Lot	Description	Lot	Description
617	Repem Pneumatic Cap Tightener, with cantilevered arm, dimensions approx. last used for flat caps on 45 gall drums, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT118	625	GEA VT20. CDS-C-10 Stainless Steel Plate Heat Exchanger, serial no. 1701/12723 free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Ex dairy, when installed failed pressure test between water and product side probably gasket or a hole in one of the s/s plates. Sold as described in an "as is" condition, client reference no. CAT126
618	Stainless Steel Preparation Table, dimensions approx. 1800mm x 740mm x 880mm high, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT119	626	Greaves GM3/4 Homogeniser, 0.55kW motor, with starter and deflector plate, dimensions approx. 750mm long x 75mm head, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT127
619	Alfa-Laval Flat Belt Conveyor, three phase, with starter, dimensions approx. 1270mm long x 190mm belt x 900mm high, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT120	627	Greaves Homogeniser, with 100mm general purpose head and deflector plate, stainless steel shaft is 800mm long, three phase 1.5kW motor free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT128
620	Atlas Copco Pneumatic 500kg Chain Hoist free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT121	628	Greaves Homogeniser, with 900mm long shaft, 75mm dia. work head, stainless steel deflector plate and FLP 1hp motor free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT129
621	Grunfos CR-16-40-A-F-A-BUBV Multi-Stage Pump, 4kW rated @ 16m3 / hr @ 41.6m hd (unused) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT122	629	Greaves HS-10 Homogeniser, with 150mm work head, 950mm long shaft and 7.5kW motor free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT130
622	Edmo Low Profile Scissor Lift, with 2000kg cap and a 1800mm lift, powered by a hydraulic / electric pack free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT123	630	Stainless Steel 316 Shell & Tube Heat Exchanger with a surface area of 9 sq. m, rated at 5 bar, with a drain nozzle, dimensions approx. working both sides, tube bundle 3000mm long x 260mm dia., 2 x 50mm nozzles in the 300mm deep end cap and 2 x 25mm nozzles in the shell the second end cap is 120mm deep, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT131
623	Durco Chemstar Stainless Steel Centrifugal Pump Set, 50- 32-200/185, rated @ 3m3 hr @ 50 mt hd, 5.5kW drive free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT124		
624	Durco Chemstar stainless steel centrifugal pump set 50- 32-200/185. rated @3m3 hr @50 Mt Hd. 5.5 kW drive free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT125		

Lot	Description	Lot	Description
632	Stainless Steel Vertical Tank, on three stainless steel tubular legs, open topped with an internal safety grill, bracket is fitted to the top side for fitting an agitator (no agitator included), dimensions approx. 530mm dia. x 750mm on the straight side and a flat sloping bottom, with a 25mm side outlet which fully drains, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT133	639	Penwalt Stokes Stainless Steel Vertical Tornado Mill free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT140
633	Polyprop Insulated Mixing Tank, with internal plastic cooling coils, bolt on lid, single phase gearbox and motor attached, dimensions approx. 400mm dia. x 750mm on the straight side, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT134	640	Grundy 250L Pressure Pot, with stainless steel pot attached to mild steel base, rated for 30 psi free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT141
634	Atlas Copco 250 kg Pneumatic Chain Hoist free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT135	641	Gericke Stainless Steel Reverse Jet Filter Unit, with controller (frames and filter socks excluded) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT142
635	Colortronics CEF50S Vacuum Transfer Conveyor, with stainless steel hopper, controls and rotary vacuum pump, 2.2kW free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT136	642	Sandpiper Polyprop Double Diaphragm Pump, dimensions approx. 2in ports, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT143
636	Plastic Slat Conveyor, with a geared drive and emergency stop button, dimensions approx. 100mm wide x 3000 long x 900mm high, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT137	643	Watson Marlow 302-F Peristaltic Pump, single phase, variable speed (hose excluded) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT144
637	Stainless Steel Jacketed 40L Cone, on mobile frame, with standalone heating element and water pump free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, last used to melt chocolate, client reference no. CAT138	644	Liquid Control Single Shot, with heated hopper, 110V, foot controller, adjustable stroke which in turn varies the volume of product dispensed free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, filler for wax type products or thick materials which need heat, client reference no. CAT145
638	Endecotts Laboratory Multi-Sieve, with seven grading sieves free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Missing a timer but works well., client reference no. CAT139	645	A.P.V. 1500L Dairy Tank, with stainless steel lids, six adjustable feet and draining 2in outlet, stainless steel cooling coils free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional but need new connections fitting then to test, client reference no. CAT146
		646	Gravity Roller Conveyor, with guide rails and four adjustable legs, dimensions approx. 1 x 2m curve with 2 x 1m straights, 200mm wide rollers, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT147

Lot	Description	Lot	Description
647	Single Mobile Water Heater, 5kW, 11amp free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT148	655	Stainless Steel Enclosed Fruit & Vegetable Chopper, 1kW under driven motor free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT156
648	Jackson Crockett Stainless Steel Slow Oscillating Kibbler Mill, on mild steel heavy frame (all parts are there but needs re-assembly - dismantled) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT149	656	Polyprop 50L Tank, with internal coils, dimensions approx. 25mm outlet bolt on lid, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT157
649	Stainless Steel Horizontal Dairy Tank, on a mild steel skid, dimensions approx. 1040mm dia. x 1800mm long 500mm top manway, capacity 1500L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT150	657	Muller Stainless Steel Dispensing Cone, dimensions approx. 8in discharge, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT158
650	Stainless Steel Oblong Mobile Enclosed Tank, sloping bottom which is fully draining, bolt on top with several inlets, capacity 650L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT151	658	Busch SV-1040 Single Phase Vacuum Pump free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT159
651	Tri-Clover Stainless Steel 2in & 3in Tri-Clover Butterfly Valves, with stainless steel actuators (all tested) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT152	659	Derion 5in Stainless Steel Divertor Flap Valve (bareshaft unit) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT160
652	Mild Steel Three Tread Mobile Steps free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT153	660	Busch SV-1040 Single Phase Vacuum Pump free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT161
653	Inritsu Check Weigher, with digital controls for small package and pneumatic reject free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT154	661	Busch SV-1040 Single Phase Vacuum Pump free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT162
654	J.R. Boone 304 Stainless Steel Helical Ribbon Blender, 5.5kW geared drive, dimensions approx. 200mm pneumatically operated bottom outlet plug valve, 2800mm long x 1150mm wide x 1550mm high, capacity 750L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT155	662	Busch SV-1040 Single Phase Vacuum Pump free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT163
		663	Vacuubrano ME-2 Diaphragm Vacuum Pump, single phase, 0.12kW free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT164

Lot	Description	Lot	Description
664	Vacuubrano ME-2 Diaphragm Vacuum Pump, single phase, 0.12kW free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT165	672	Anderson Greenwood Stainless Steel Pressure Relief Valve, 1.5in x 2in set pressure at 23 bar free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT173
665	Papenmeier 40L Stainless Steel Working Bowl, with mild steel heating jacket and high speed variable powder mixer free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT166	673	Anderson Greenwood Stainless Steel Pressure Relief Valve, 1.5in x 2in set pressure at 23 bar free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT174
666	Rotamix High Speed Homogeniser, with 4kW FLP motor and stainless steel contact parts free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT167	674	Northland Stainless Steel Mobile Tank, with bottom agitator, 75 psi and full vacuum capacity approx. 500L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT175
667	Y-Stral 1.5kW Stainless Steel High Speed Mixer free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT168	675	Flux Stainless Steel Stick Pump, PTFE stator stainless rotor, dimensions approx. 1.5in outlet, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, last used on pharma creams, client reference no. CAT176
668	Marsden Single Phase Dust Collector free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT169	676	Translyft 1000kg Scissor Lift, with 1200 lift, single phase hyd/ electric, raise / lower, stand away umbilical, safety switches around base, dimensions approx. 1000mm x 1500mm, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT177
669	Two Sets of Four 0.5L pneumatic Pistons, with PTFE seals and stainless steel manifold and two stroke adjusters free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, ideal for building two four head or one eight head fillers, client reference no. CAT170	677	Niro 8in Easy Clean Rotary Valve, with geared drive free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT178
670	Vibro-mac Self Cleaning Stainless Steel Filter, on mobile mild steel frame free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT171	678	Chemineer Clamp, on FLP PD20 stainless steel agitator, 1.5kW @1400rpm, dimensions approx. 900mm shaft, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT179
671	Anderson Greenwood Stainless Steel Pressure Relief Valve, 1.5in x 2in set pressure at 23 bar free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT172	679	Chemineer Clamp, on FLP PD20 stainless steel agitator, 1.5kW @1400rpm, dimensions approx. 900mm shaft, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT180

Lot	Description	Lot	Description
680	Chemineer Clamp, on FLP PD20 stainless steel agitator, 1.5kW @1400rpm, dimensions approx. 900mm shaft, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT181	689	Pickstone EL-70 Single Phase Oven, with stainless steel contact parts, max temp. 80 Deg C., dimensions approx. 600mm x 600mm x 600mm, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT190
681	Grunfos CP3-200K 20 Stage Pump Set, with 4kW motor free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT182	690	A8HC Single Phase Oven, 2kW, with twin doors stainless steel inner, dimensions approx. 1050mm x 540mm x 900mm high, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT191
682	Plenty PUD-55 Agitator Drive, 90rpm (no shafts or impellers) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT183	691	Lightnin LC25AK Air Operated Agitator Drive Head IBC Mixer free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT192
683	Plenty PUD-55 Agitator Drive, 90rpm (no shafts or impellers) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT184	692	Piab Stainless Steel Vacuum Transfer Conveyor, with suction lance free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT193
684	Stainless Steel 0.5L Depositor, with stainless steel feed hopper and mounted on the base unit free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, the unit is pneumatic but has no controls, client reference no. CAT185	693	Single Drum Spill Container / Bund, for one single 45 gall drum free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT194
685	Four Stainless Steel Y Strainers, 2 x 75mm and 2 x 100mm (unused) DN flanged free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT186	694	A.P.V. HXC-6 Plate Heat Exchanger, 10 bar working free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT195
686	Stainless Steel Double Length Inner Basket & Sock Holder (new and unused) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT187	695	APV SHL-5 Homogeniser Head, with hyd pack (unused - plant spare) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT196
687	Townson/ Mercer Stainless Steel Vacuum Oven free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - In working order, needs a new controller, client reference no. CAT188	696	Rotatherm Chart Recorder (understood to be new and unused) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT197
688	Primarc Stainless Steel Conveyor, through a curing oven, single phase, with transformer free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT189		

Lot	Description	Lot	Description
697	Plenty 4in Stainless Steel Plenty Filter, with lift out perforated stainless steel basket free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT198	705	Pallet of Various Filters Elements, for a 40 x 40 filter press, pall cancel elements and socks for double inline basket filters free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT206
698	Stainless Steel Table, with one shelf, dimensions approx. 1500mm x 600mm x 850mm high, shelf 250mm high, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT199	706	Hummel Vacuum Transfer Conveyor, with a rotary vacuum pump free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, last used to unload 1 ton bags into 25kg sacks, client reference no. CAT207
699	Plenty 4in Stainless Steel Plenty Filter, with lift out perforated stainless steel basket free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT200	707	Nine Assorted Connection Pipes free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT208
700	Plastic Header Tank, with internal ball-cock and lid capacity 400L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT201	708	Six Part Rolls of Stainless Steel Mesh, for vibrating screens free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT209
701	Two Grunfos Pump Sets (1.1kW / CR4-60 and 2kW / CRN4-120) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT202	709	K-Tron Stainless Steel Twin Screw Powder Feeder, with stainless steel hopper and single phase digital controls (tested) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT210
702	Six Locker 304 Stainless Steel Screen Meshes, four of 5mm x 5mm, one of 6mm x 6mm, one of 2.5mm x 2.5mm (unused) free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT203	710	Siemens 2in Rotary Vacuum Pump, 1.5kW unit free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT211
703	Neumo Stainless Steel Filter, which will fill smaller capacities by adjusting the stroke turret, on stainless steel mobile frame capacity 1L, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Needs new pneumatics, client reference no. CAT204	711	Aluminium Vibratory Sieve, with an Invictor motor and attached screen, dimensions approx. 425mm x 615mm, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, last used for paint, client reference no. CAT212
704	1500L LDPE Enclosed Plastic Storage Tank, with top manway and top side inlet free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, client reference no. CAT205	712	Stainless Steel Perforated Screen (unused), dimensions approx. 1030mm long x 555mm wide, 100mm deep, 8mm perforations, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, a spare for a pellet screen, client reference no. CAT213

Lot	Description	Lot	Description
713	Stainless Steel Perforated Screen (unused), dimensions approx. 1030mm long x 555mm wide, 100mm deep, 8mm perforations, free loading onto purchaser's transport - yes, item located in Darlington, Durham, vendors comments/condition report - Good condition, fully functional, a spare for a pellet screen, client reference no. CAT214	726	Simon Barron Z1 Inclined Deck Reciprocating Sieve, vendors comments/condition report - this is a two deck machine with a single deck area of 1M2 but no meshes. No drive. Poor condition, loaded FOC yes, located Selby (V374577-5873)
720	Single Tapered Screw Discharger, 250mm dia. x 2.67m long with 1.75m long inlet, hinged safety flap with micro switch and side mounted tail drive. Built 2001, vendors comments/condition report - good condition, loaded FOC yes, located Lincoln (V374577-5620)	727	Jesma VDB/EE Belt Weigher, built 2002, vendors comments/condition report - average condition, loaded FOC yes, located Lincoln (V374577-5609)
721	Single Tapered Screw Discharger, 350mm dia. x 3.8m long with 1.9m long inlet. Conveyor built 2006. vendors comments/condition report - this discharger has a 2.5m long x 850mm wide x 800mm deep hopper on the inlet giving a working volume of about 1.2 M3, good condition, loaded FOC yes, located Lincoln (V374577-5621)	728	Nazzareno Push Floor Bunker, model 2R-9000, built in 2008 with 2 No. 18.5kw hydraulic powerpacks, vendors comments/condition report - this unit comprises two grids side by side reciprocating independently. Working area is 9.0M x 3.345M and total length is 14M to allow for grid movement and the hydraulic rams. This unit was operating in a bunker with concrete walls and discharged into a 400mm dia. x 4.2M long Nazzareno cross conveyor below ground level. Stroke frequency can be adjusted to give a discharge rate of up to 60M3 per hr. Good condition, loaded FOC no buyer to dismantle and load to own transport., located Selby (V374577-5773)
722	Centrifugal Fan, by RHF Fans vendors comments/condition report - with a 37kw vee belt drive and it will deliver about 21,000M3/hr of air at 355mm wg, good condition, loaded FOC yes, located Lincoln (V374577-5974)	729	Cleated Flat Belt Conveyor, 5.0metres long in 500mm deep case with paint finish, the belt is 500mm wide with steel cleats 60mm high on 250mm centres, vendors comments/condition report - this was below the double flap valve under the product inlet on the drum dryer. Some damage to motor fan cover. Average condition, loaded FOC yes, located Lincoln (V374577-6035)
723	Sprout Matador COT 15 Drum Coater, in an insulated enclosure with pipework and EP actuators for 3 No. liquids, vendors comments/condition report - Average condition, loaded FOC yes, located Lincoln (V374577-5610)	730	Grespan 35/25 Chain & Flight Conveyor, 250mm wide x 370mm deep x 4.2m long, vendors comments/condition report - the conveyor has a galvanised case, 1.5kw drive and will handle up to 75M3/hr. Some damage to motor fan cover. Good condition, loaded FOC yes, located Selby (V374577-5835)
724	Trace Heated Fats Tank, located in a mild steel enclosure with the tank supported on 3 load cells, vendors comments/condition report - the tank will hold approx. 100 litres of liquid. Average condition, loaded FOC yes, located Lincoln (V374577-5542)	731	Grespan 35/25 Chain & Flight conveyor, 250mm wide x 370mm deep x 6.1m long, vendors comments/condition report - the conveyor has a galvanised case, 1.5kw drive and will handle up to 85M3/hr. This has a motorised inlet slide that was controlling the flow from a silo outlet. Some damage to motor fan cover. Good condition, loaded FOC yes, located Selby (V374577-5837)
724A	Trace Heated Fats Tank, located in a mild steel enclosure with the tank supported on 3 load cells, vendors comments/condition report - the tank will hold approx. 100 litres of liquid, average condition, loaded FOC yes, located Lincoln (V374577-5542)	732	200mm Twin Chain Conveyor, 7.0m long. Mild steel body with stainless steel chain, vendors comments/condition report - the drive is missing, and the body is poor. Poor condition, loaded FOC yes, located Selby (V374577-5815)
725	Milltech C95-185 Pelleting Press, with stainless steel door, dump chute and 90kw belt drive, vendors comments/condition report - It comes with a 400mm dia. x 1500mm long conditioner and control panel. The die is 450mm dia. with a 140mm track, 6mm drilling x 85mm thick, "clamp on" with "bolt on" cone. The press was rebuilt in 1997. This machine has to be reassembled. Average condition, loaded FOC yes, located Lincoln (V374577-5872)		

Lot	Description	Lot	Description
733	Nazzareno 250mm dia. U Trough Screw Conveyor, 3.0m long with 1.5kw in-line drive adding 766mm to length, vendors comments/condition report - stand-off bearings and packing glands at both ends. The motor has a forced air cooling fan to allow inverter speed control. Capacity is from 2 - 5.8M3/hr. Good condition, loaded FOC yes, located Selby (V374577-5848)	740	Part worn 8mm die x 100mm thick, for CPM 7930-4 pellet press, vendors comments/condition report - good condition, loaded FOC yes, located Selby (V374577-5824)
734	Nazzareno E400 Belt & Bucket Elevator, 11.9m high with 250mm buckets and drive, vendors comments/condition report - poor condition, loaded FOC no - buyer to dismantle and load to own transport, located Selby (V374577-5817)	741	Refurbished 6mm die x 90mm thick for CPM 7930-4 pellet press, vendors comments/condition report - good condition, loaded FOC yes, located Selby (V374577-5824)
735	Grespan 40/32 Belt & Bucket Elevator, with galvanised case, 235mm wide buckets on 200mm centres, explosion panels, rotation sensor and belt alignment sensors, the elevator is 19.5m high, has a 2.0m galvanised head access platform and a 4kw drive, vendors comments/condition report - belt is in good condition, buckets are worn. The top head cover is missing. Good condition, FOC loaded no - partially dismantled and on the ground but a bit more dismantling work would make for easier transport, located Selby (V374577-5834)	742	Refurbished 6mm die x 95mm thick for CPM 7930-4 pellet press, vendors comments/ condition report - good condition, loaded FOC yes, located Selby (V374577-5824)
736	Euroventilatore Model TTRC 801 LGO Centrifugal Fan, built in 2008 with 37kw belt drive. Output up to 16,700M3/hr, vendors comments/condition report - Good condition, loaded FOC yes, located Selby (V374577-5784)	743	Tekpro Pellet Hardness Tester, type NHP100, built 2010, vendors comments/ condition report - good condition, loaded FOC yes, located Selby (V374577-5853)
737	RHF Fan, model RDCW 340 RS with 0.55kw direct drive, vendors comments/condition report - will move 1000cfm at 1.25" wg. This was sucking dust from pellet conveyor. Good condition, loaded FOC yes, located Selby (V374577-5816)	744	Young Massa DC12 Drop Through Rotary Valve, 300mm dia. 360mm wide x 500mm deep with drive, vendors comments/ condition report - good condition, loaded FOC yes, located Selby (V374577-5849)
738	Euroventilatore TRC 1401 Centrifugal Fan, built in 2008. The fan has a 90kw vee belt drive, a GreCon spark detecting sensor and explosion panel. Fan output is up to 58,000M3/hr, vendors comments/condition report - good condition, loaded FOC yes, located Selby (V374577-5846)	745	Young Massa Motorised Double Flap Drop Through Valve, vendors comments/ condition report - this acts like a rotary valve but can handle lumpy and heavy material. It was acting as a heavy particle reject system on the inlet of a rotary drum dryer. Good condition, loaded FOC yes, located Selby (V374577-6036)
739	Eurotech High Level Palletiser, model ET-PTR 800-MC for pallets up to 1200mm x 1200mm stacked to 2.0M high. Built in 2010. The palletiser comes with bottom slip sheet feeder, pallet dispenser, powered roller track, top sheeter, stretch wrapper, exit roller track and control panel, vendors comments/condition report - good condition, loaded FOC no - buyer to dismantle and load to own transport, located Selby (V374577-5833)	746	Galvanised Dust Storage Silo, constructed from smooth flanged panels, this silo is 4.0m dia. for 9.0m and then the walls slope out over a height of 1.3M to a dia. of 5.0M. There is approximately 5.0M of vertical wall at 5.0M dia. The top is handrailed and there are access ladders. The top 5.0M section of the silo is a reverse jet filter with 380 tubular bags 120mm dia. x 4.0M long giving a filter area of 573M3. It has a vertical exhaust and explosion relief panels. Dust is blown into the silo at a tangent on the section where the dia. changes. The silo has a flat floor 3.0M above base level with a sweep arm discharge driven by a 15kw gearmotor, vendors comments/ condition report - total storage volume is approximately 75M3 but working volume will be less, good condition loaded FOC no - buyer to dismantle and load to own transport. Crane will be required., located Selby (V374577-5847)
		747	Big Bag Emptying Frame, with hopper and outlet slide, the unit is 1.38m x 1.38m x 4.1m high when fully extended. Height can be reduced in increments by about 800mm to accommodate different bag lengths. The unit is on casters and the discharge hopper outlet is 850mm above base level, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6041)

Lot	Description	Lot	Description
748	Provenair Galvanised Filter Cages, approx. 140mm dia. x 600mm long. There are about 160 available including many top units with flange and clip. Top units £12.50 each and plain units £10each. Can be purchased as a job lot, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577- 4907)	753	Mild Steel Silos, 3.5m inside dia. with insulation and corrugated aluminium cladding. The silos are 12.83m overall high giving working volume of approximately 60 cubic m each. Each silo has 65 degree hopping with a 1.83m dia. bin activator on the cone base. The activator outlet is 2.0m above base level. Within the overall height on each silo there is a 2.0m high penthouse with an access port so that the silo tops could be inter connected. The silos were set up for pneumatic filling and two of them have cased DCE Dalamatic reversejet filters fitted and the other one is set up for a filter, but it is missing. Each silo top has a set of explosion relief panels fitted but the membranes need replacing. There are explosion relief panels on the penthouse roofs as well. These silos are offered as a set of three, but they can be offered individually. Poor condition loaded FOC no - If single silo purchased crane hire will be charged extra. If more than one silo purchased crane hire will be free., located Lincoln (V374577-5308)
749	Tapered Twin Screw Discharger, 2 x 150mm dia., 1.7m long with 1.25m long inlet but no drive, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-5122)		
750	Ribbon Flighted 2 x 200mm Dia. Twin Screw Discharger, with central outlet and side mounted drive, overall length with guards is 1.94m and open area within flanged top is 1580mm x 430mm, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-5123)		
751	Cyclone In Framework, approx. dimensions of cyclone 900mm dia., 900mm vertical body, 1300mm deep cone and scrolled left hand entry. There is a 350mm dia. x 350 wide rotary valve on the cyclone outlet with an in-line geared drive. The rotary valve discharge is 1800mm above base level. The support frame is 1480mm x 1480mm. Overall height to cyclone outlet is approx. 5.5m. Cyclone looks like stainless steel top and mild steel cone, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-5291)	754	Mild Steel Silos, 3.5m inside dia. with insulation and corrugated aluminium cladding. The silos are 12.83m overall high giving working volume of approximately 60 cubic m each. Each silo has 65 degree hopping with a 1.83m dia. bin activator on the cone base. The activator outlet is 2.0m above base level. Within the overall height on each silo there is a 2.0m high penthouse with an access port so that the silo tops could be inter connected. The silos were set up for pneumatic filling and two of them have cased DCE Dalamatic reversejet filters fitted and the other one is set up for a filter, but it is missing. Each silo top has a set of explosion relief panels fitted but the membranes need replacing. There are explosion relief panels on the penthouse roofs as well. These silos are offered as a set of three, but they can be offered individually. Poor condition loaded FOC no - If single silo purchased crane hire will be charged extra. If more than one silo purchased crane hire will be free., located Lincoln (V374577-5308)
752	Mild Steel Silos, 3.5m inside dia. with insulation and corrugated aluminium cladding. The silos are 12.83m overall high giving working volume of approximately 60 cubic m each. Each silo has 65 degree hopping with a 1.83m dia. bin activator on the cone base. The activator outlet is 2.0m above base level. Within the overall height on each silo there is a 2.0m high penthouse with an access port so that the silo tops could be inter connected. The silos were set up for pneumatic filling and two of them have cased DCE Dalamatic reversejet filters fitted and the other one is set up for a filter, but it is missing. Each silo top has a set of explosion relief panels fitted but the membranes need replacing. There are explosion relief panels on the penthouse roofs as well. These silos are offered as a set of three, but they can be offered individually. Poor condition loaded FOC no - If single silo purchased crane hire will be charged extra. If more than one silo purchased crane hire will be free., located Lincoln (V374577-5308)		

Lot	Description	Lot	Description
755	Mild Steel Silo, 3.5m inside dia. with insulation and corrugated aluminium cladding. The silo is 10.83m, giving working volumes of approximately 40 cubic m. The silo has 65 degree hopping with a 1.83m dia. bin activator on the cone base. The activator outlet is 2.0m above base level. Within the overall height of the silo there is a 2.0m high penthouse with an access door on each side. The silo is set up for pneumatic filling and has a cased DCE Dalomatic reversejet filter fitted and a set of explosion relief panels, but the membranes need replacing. There are explosion relief panels on the penthouse roofs as well. This silo is compatible with the three silos ref UCPE-5308 apart from the height. Poor condition loaded FOC no - If single silo purchased crane hire will be charged extra. If more than one silo purchased crane hire will be free., located Lincoln (V374577-5649)	760	Reconditioned Locker Rotex Model 21A Screen, with two decks, nominal area per surface 2.16 m2. It has a 1.1kw 1440rpm 3ph drive. Principal dimensions (L x W x H): 2835 x 1295 x 915. Material of construction, aluminium screen frame with S/S woven wire mesh ball retaining deck and new WFQ sealing gasket. New aluminium dust proof top cover with 250mm inlet dia., deflector plate and two off inspection ports fitted with new WFQ sealing gasket. M/S base frame, box frame and M/S bottom pan with all welds dressed and weld splatter removed. The bottom is pan has a 250mm dia. fines and a 250mm dia. oversize outlet. This sieve was reconditioned in 2014 and has never worked since. It was supplied with a 5mm mesh to do up to 12 tph screening fines from dry pet food. It has 4 No suspension cables with it, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-5761)
756	Twin Chain Conveyor, with 400mm working width, 6.35m long and it has a 0.75kw drive and an inlet with feed control gate, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-5312)	761	Stainless Steel Hopper, in mild steel frame. Overall dimensions 1.47m x 1.73m x 2.6m high. The stainless steel hopper is open topped and has a 900mm dia. bin activator on the outlet. Discharge is 200mm dia. and height are 840mm above base level, vendors comments/ condition report - approx. 1.5M3 working volume. Average condition, loaded FOC yes, located Lincoln (V374577-5866)
757	Bank of 5 No Nikkiso Diaphragm Pumps, on a single base frame with some pipework. The arrangement was supplied by Adony Metering Pumps and comprises 5 No pumps model AHA32-PCF-HW each with a 0.2kw single phase 240 volt geared motor. Pump output is up to 1.8 litres/min at 10kg/cm2. Can be used for chemical treatment of cereals in a liquid dressing process, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-5330)	762	Wenger Extrusion Dryer/Cooler. The dryer is 12.75m long x 3.5m wide x 4.8m high including support frames. Model - 41001-000 Serial no. - 8706-8958. Output 6 - 7 tph on kibble, vendors comments/ condition report - this machine is not for sale in the UK – purchaser will have to be approved. Good condition, loaded FOC yes, located Lincoln (V374577-5891)
758	Plenty Size 3 Duplex Basket Filter, with 3in flanged ports, no baskets, no basket selection lever and one lid clamp is missing, vendors comments/ condition report - poor condition, loaded FOC yes, located Lincoln (V374577-5529)	763	G B Process Systems Extrusion Dryer/Cooler, built in 2014, 9.45M long x 2.85M wide x 4.7M high including support frames. It has 3 No LPG burners. Output 6 - 7 tph on kibble, vendors comments/ condition report - this machine is not for sale in the UK – purchaser will have to be approved. Good condition, loaded FOC yes, located Lincoln (V374577-5892)
759	Rowlands Bulk Storage Hopper, with painted steel hopper section and legs and galvanised body and top, the hopper is 3.08m x 2.45m x 11.11m high. There is a 150mm wide x 1.83m long outlet to take a screw discharger, not included. The outlet is 1.17m above base level. Working volume approx. 55 M3, vendors comments/ condition report - poor condition, loaded FOC yes, located Lincoln (V374577-5594)	764	Fully Refurbished Wenger 165 Long Barrel Extruder, with 160kw motor and vee belt drive. The extruder comes with a Wenger stainless steel live bin 1.2M dia. x 1.8M deep, Wenger stainless steel feed screw 150mm x 2.06M long and an Extrutech stainless steel twin rotor conditioner with 2 x 500mm dia. paddle rotors in a 2.33M long case. No cutter head but it has the stainless steel clam shell suction head. Output 4 - 5 tph on kibble, vendors comments/ condition report - this machine is not for sale in the UK – purchaser will have to be approved. Excellent condition, loaded FOC yes, located Lincoln (V374577-5890)

Lot	Description	Lot	Description
765A	Taurus Hammer Mill, model VM55 with a 55kw direct drive. This mill has a horizontal rotor and screen and a vertical motor. It has two inlets each with a magnet fitted. There are dust filter socks attached to the body and milled material drops out vertically via an under hopper. No fan or filter required., vendors comments/ condition report - output believed to be up to 10tph on cereals, good condition, loaded FOC yes, located Lincoln (V374577-5924)	772	100mm Chain & Flight Conveyor, 5m long with a body depth of 450mm and an intake hopper 3m long x 100m deep. Geared drive projects 600m to one side, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6060)
766	Wynveen DPMA 700 High Speed Twin Paddle Mixer, in stainless steel with pneumatic bomb door discharge and 7.5kw chain drive. The mixer was built in 2007 and has a working volume of 700 litres. The mixer comes with a mild steel under hopper 710mm deep with an 1150mm x 490mm outlet, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-5925)	773	PAM Blower, with 18.5kw drive, Serial no. 972321, vendors comments/ condition report - believed 1997 vintage, average condition, loaded FOC yes, located Lincoln (V374577-6025)
767	Bullet Magnet, in stainless steel case with approx. 210mm dia. inlet and outlet. Door mounted magnet in 320mm dia. case. Overall height 810mm, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-5926)	774	Guttridge Twin Chain Conveyor, with a working width of 660mm and an overall length of 11.0m and a 4.0 kw drive. Throughput up to 300 M3/hr, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-5331)
768	Bullet Magnet, in stainless steel case with approx. 210mm dia. inlet and outlet. Door mounted magnet in 320mm dia. case. Overall height 810mm, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-5926)	775	Guttridge Twin Chain Conveyor, with a working width of 660mm and an overall length of 19.76m and a 5.5 kw drive. Throughput up to 300 M3/hr, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-5332)
769	Roller Mill, believed to be Prokop MS22 grain cracking roller mill with fluted rolls and two drives which look to be around 15kw each. The rolls rotate at different speeds. Output is believed to be up to 5 tph depending on cereal type and roller settings. Probably 70s vintage. The mill has a cast steel body with a wood lining, a single inlet feeding onto two pairs of rolls with an adjustable diverter between them. Each pair of rolls has an adjustable feed roll. The rolls are 250mm dia. x 1000mm face width and have helical fluting. There is a short U trough screw conveyor under each pair of rolls for discharging the end product. Both driven from one drive unit, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-5927)	776	Guttridge Twin Chain Conveyor, with a working width of 660mm and an overall length of 10.55m and a 4.0 kw drive, throughput up to 300 M3/hr, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-5333)
770	Vertical Air Receiver, on legs, 800mm dia. x 2500mm high. 1000 litre volume, 11bar working pressure, built 2000, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6042)	778	Twin Chain Conveyor, with 200mm working width x 3.5m long. No top covers, no chain body has been repaired but drive is complete, vendors comments/ condition report - poor condition, loaded FOC yes, located Lincoln (V374577-5424)
771	Kaeser HPC Model BSD 81T Package Air Compressor Set, in acoustic enclosure. Needs overhauling, vendors comments/ condition report - poor condition, loaded FOC yes, located Lincoln (V374577-6039)	779	Twin Chain Conveyor, with 300mm working width x 4.2m long with rotation sensor and side inlets, vendors comments/ condition report - poor condition, loaded FOC yes, located Lincoln (V374577-5425)
		781	U-Trough Screw Conveyor, 250mm dia. x 2.2M long with 1.5kw geared drive. No end plate or bearing, vendors comments/ condition report -likely to have been part of a longer conveyor. Average condition, loaded FOC yes, located Lincoln (V374577-6050)
		782	320mm dia. x 2m long U trough Screw Conveyor, with in-line drive requiring another 780mm in length, vendors comments/ condition report - some damage to drive alignment, average condition, loaded FOC yes, located Lincoln (V374577-6056)

Lot	Description	Lot	Description
783	Taurus 120mm dia. x 1.1m long U trough Screw Conveyor, with side mounted geared drive that projects 300mm from body, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6058)	790	Stainless steel cyclone in mild steel support frame with rotary valve on the discharge. Frame is 2.0m x 2.0m x 5.8m high and overall height with cyclone is 7.9m. The cyclone itself is 1.72m dia. with 1.46m vertical and a 3.2m deep cone. Top is sloping to an 800mm dia. enclosed top with tangential exit. The cyclone has a 200mm dia. rotary valve on the discharge, but the drive is missing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6068)
784	Taurus 120mm dia. x 1.1m long U trough Screw Conveyor, with side mounted geared drive that projects 300mm from body, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6058)	791	DCE Dalamatic Reversejet Insertable Filter, model DLM V/6F with 1.1kw fan and 6 M2 filter area. Needs to be reassembled and have new bags fitted, vendors comments/ condition report - poor condition, loaded FOC yes, located Lincoln (V374577-5316)
785	Taurus 120mm dia. x 1.1m long U trough Screw Conveyor, with side mounted geared drive that projects 300mm from body, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6058)	792	Filtex Model 284 Type H, with base, bucket and explosion panel but no controller. Needs overhaul and new bags, vendors comments/ condition report - poor condition, loaded FOC yes, located Lincoln (V374577-5314)
786	Taurus 120mm dia. x 1.1m long U trough Screw Conveyor, with side mounted geared drive that projects 300mm from body, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6058)	794	Large Extruder Control Panel, full of electrical contractors and an Alan Bradley PLC with touch screen, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-5651)
787	Sturtevant type Six Stage Vacuum Pump, less motor and heavy duty air receiver with filter bags. It needs pipework, valves and a rotary valve below the receiver. Could be used for product transfer or dust collection, vendors comments/ condition report - poor condition, loaded FOC yes, located Lincoln (V374577-6048)	795	ABB 315kw 1485 rpm Electric Motor, built 2005, model M3BP 315LKC 4B3. 415V 3 Phase 50 Hz. Foot mounted TEFC, vendors comments/ condition report - cooling fan and fan enclosure are missing, average condition, loaded FOC yes, located Lincoln (V374577-5089)
788	Mild Steel Cyclone, in support frame with rotary valve on the discharge. Frame is 2.04m x 2.04m x 5.82m high and overall height with cyclone is 7.9m. The cyclone itself is 1.72m dia. with 1.46m vertical and a 3.2m deep cone. Top is sloping to an 800mm dia. enclosed top with tangential exit. The cyclone has a 200mm dia. Rotolok rotary valve on the discharge, but the drive is missing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6062)	796	Amtec 90 kw 2970 rpm foot mounted TEFC motor, vendors comments/ condition report - fan damaged and fan cover missing, average condition, loaded FOC yes, located Lincoln (V374577-5494)
789	Stainless Steel Cyclone, split in two sections, no support frame no rotary valve on outlet. 1.7m dia. with 1.24m vertical and 3.0m deep cone with approx. 300mm dia. outlet. Top is sloping to an 820mm dia. enclosed top with tangential exit, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6067)	797	160kw Electric Motor, 1486rpm foot mounted, TEFC, 3 phase, 380V, 50Hz, frame size Y315L 1-4, vendors comments/ condition report - made in China, good condition, loaded FOC yes, located Lincoln (V374577-6038)
		798	Carrier 9ST Belt & Bucket Elevator, 8.23m high with drive but no belt or buckets, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-6051)
		799	Carrier 9ST Belt & Bucket Elevator, 10m high, vendors comments/ condition report - with drive but no belt or buckets, average condition, loaded FOC yes, located Lincoln (V374577-6052)

Lot	Description	Lot	Description
800	Nerak Wiese WB370 Swing Bucket Elevator, 10.925m high with a 2.2kw shaft mounted geared drive, built in 2001 and has been used on dry pet food, vendors comments/ condition report - the elevator is currently dismantled. Output is about 25 m3/hr, the two Kevlar reinforced rubber block chains need replacing, poor condition, loaded FOC yes, located Lincoln (V374577-5342)	808	200mm dia. x 0.76m long Round Cased Screw Feeder, with 1.5 kW in-line variable speed DC drive, vendors comments/ condition report - needs starter and control module to make it work as variable speed, these units were part of a cereal blending plant, good condition, loaded FOC yes, located Lincoln (V374577-4957)
801	Nerak Wiese WB370 Swing Bucket Elevator, 18.725m high with a 2.2kw shaft mounted geared drive, built in 2001 and has been used on dry pet food, currently dismantled, vendors comments/ condition report - output is about 25 m3/hr, the two Kevlar reinforced rubber block chains need replacing, poor condition, loaded FOC yes, located Lincoln (V374577-5349)	809	200mm dia. x 0.76m long Round Cased Screw Feeder, with 1.5 kW in-line variable speed DC drive, vendors comments/ condition report - needs starter and control module to make it work as variable speed, these units were part of a cereal blending plant, good condition, loaded FOC yes, located Lincoln (V374577-4957)
802	Nerak Wiese WB370 Swing Bucket Elevator, about 10m high with a 2.2kw shaft mounted geared drive, built in 2001 and has been used on dry pet food, vendors comments/ condition report - the elevator is currently dismantled. Output is about 25 m3/hr. Average condition, loaded FOC yes, located Lincoln (V374577-6040)	810	200mm dia. x 0.76m long Round Cased Screw Feeder, with 1.5 kW in-line variable speed DC drive, vendors comments/ condition report - needs starter and control module to make it work as variable speed, these units were part of a cereal blending plant, good condition, loaded FOC yes, located Lincoln (V374577-4957)
803	Wenger Stainless Steel Live Bin, 1.2m dia. x 1.83m deep, vendors comments/ condition report - it has the internal rotating cone but no drive unit, good condition, loaded FOC yes, located Lincoln (V374577-6063)	811	200mm dia. x 0.76m long Round Cased Screw Feeder, with 1.5 kW in-line variable speed DC drive, vendors comments/ condition report - needs starter and control module to make it work as variable speed, these units were part of a cereal blending plant, good condition, loaded FOC yes, located Lincoln (V374577-4957)
804	Airco 575CBL-N Centrifugal Fan, with direct drive and upward facing outlet, no motor plate but looks like 18.5kw., serial no. 8719/1886/06.01, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6045)	812	Stainless Steel Tray Feeder, 600mm wide x 3.5m long, sits on a base frame 870mm wide x 4.12m long, vendors comments/ condition report - drive looks like 1.5kW, vendors comments/ condition report - needs some repair to the tray, poor condition, loaded FOC yes, located Lincoln (V374577-5422)
805	Airco 500CBL-N Centrifugal Fan, with direct drive and upward facing outlet. 15kw 2945rpm motor., serial no. 8719/1886/06.02, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6046)	814	Acme Stainless Steel Tray Feeder, with drive, mild steel support frame and anti-vibration mountings, a mild steel false deck has been fitted with mesh at the end, working through section is 600mm wide x 3.7m long, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6049)
806	Airco 500CBL N Centrifugal Fan, with 25kw 2930rpm direct drive, serial no. 9177/003/11-01, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6059)	815	Stainless Steel Tray Feeder, with mild steel support frame, the tray is 600mm wide x 5.8m long, vendors comments/ condition report - poor condition, loaded FOC yes, located Lincoln (V374577-6053)
807	Wenger Belt Driven Centrifugal Fan, with downward facing outlet. 600mm dia. backward lamina impellor and 550mm wide body, vendors comments/ condition report - drive looks about 60kw, average condition, loaded FOC yes, located Lincoln (V374577-6065)	816	Horizontal Three Fan Heat Exchanger, with galvanised case and mild steel support stand, the unit is 720mm wide x 2000mm long x 1200mm high, the fans are 500mm axial, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6044)

Lot	Description	Lot	Description
818	Stainless Steel Calpeda water Pump, model MXB40-805C with 2.2 kW drive, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-5579)	829	Jacketed Stainless Steel Mixing Tank, on legs with flat bottom and geared drive below, made by Terlet in Holland, vendors comments/ condition report - stainless steel cladding is damaged, the top is conical, the tank is about 1.6m dia. x 2.0 meters deep and the legs are 700mm high, about 3.3m overall height, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-6064)
819	Monopump type CD72R3 Pump, with 1.5kW Carter hydrostatic variable speed drive, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-5856)	830	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
820	Bredel SPX40-no Peristaltic Pump, serial no. 25758, with geared drive, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6023)	831	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
821	Netsch Pump, type NM053BY01L06B, built 2005, 20m ³ /hr at 4.5bar up to 50 deg C, vendors comments/ condition report - average condition, loaded FOC yes, located Lincoln (V374577-6054)	832	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
822	Moyno model CNH Pump, with 1.5kW drive, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-6070)	833	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
823	Stainless Steel Vessel, with dished bottom, outlet valve and flat bolted on top with flanged pipe entries, 600mm dia. x 1950mm to bottom flange, volume 500 litres, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-5243)	834	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
825	Stainless Steel Jacketed Bowl, 1150mm dia. x 825mm deep, with support legs, top cover and lid, the overall height with legs is 1575mm giving 680mm below the 50mm dia. flanged outlet, vendors comments/ condition report - working volume about 350 litres, made by Foodmex Ltd., good condition, loaded FOC yes, located Lincoln (V374577-5322)	835	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
826	GRP Bund for IBC, 1.6m long x 1.2m wide x 600mm deep with supports for 1000mm x 1200mm IBC, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-5601)	836	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
827	Stainless Steel Tank, with conical base, outlet seal and agitator, 1.1m x 1.3m x 2.6m high, in fork liftable stainless steel frame, discharge height 750mm and tank volume approx. 1000 litres, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-5865)	837	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
828	Open Topped Stainless Steel Tank, 1m x 1m x 1m, on mild steel support stand, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6047)		

Lot	Description	Lot	Description
838	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)	848	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
839	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report – good condition, loaded FOC yes, located Lincoln (V374577-6071)	849	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
840	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)	849A	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
841	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)	849B	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
842	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)	849C	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
843	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)	849D	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
844	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)	849E	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)
845	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)	850	Oliver Douglas Industrial Washing Machine, in stainless steel with powered lid, pump and controls Model referred to as Skipper. In stainless steel and takes 13.5kW. vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-6066)
846	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)	853	Loma Superscan Micro Metal Detector, with 320mm wide belt and bag aperture 350mm wide x 80mm high. This unit is in stainless steel and is mounted on wheels giving a conveyor height of 900mm. The detector has a compressed air operated contaminated bag ejector system with collection box. Total length is 2.135m. The belt needs replacing, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-5328)
847	1000 litre Plastic IBC, in steel cage with filler cap and outlet valve, been used for liquids associated with pet food manufacturing, vendors comments/ condition report - good condition, loaded FOC yes, located Lincoln (V374577-6071)		

Lot	Description	Lot	Description
854	Sensity Rapid 4000/250/78/289 Inline Metal Detector, with EP ejector and control panel. Built 2005 with Serial no. 2005-04-1032. The unit is 1.2m high and has a 250mm dia. inlet, 200mm dia. ejector and a 250mm x 250mm outlet, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-6032)	875	Bamford OC3 Farm Type Grain Crusher, with 4kW drive and 170mm wide rolls, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-4947)
856	Schlotterhose Heavy Duty Twin Rotor Mixer, the mixer body is 4.0m long with 2 No 800mm dia. rotors in the base, each driven by a 22 kW geared motor. The working volume is about 4.5 cubic m. There is an EP discharge slide below each rotor. The rotors are a series of adjustable heavy duty paddles. The mixer is supported on short legs to accommodate a discharge conveyor below. Overall dimensions including legs 1945mm wide x 5560mm long x 2340mm high, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-5284)	876	Simon 300mm dia. Cast Steel Drop Through Rotary Valve, 410mm high with 260mm x 260mm inlet. The valve has offset bearings, a torque arm speed reducer but no motor, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-6043)
858	Vee Track Bag Conveyor, 3.5m long. Some plastic slats missing and no drive, vendors comments/ condition report - Needs a rebuild. Poor condition, loaded FOC yes, located Lincoln (V374577-6031)	877	Brush Sifter, in bits. Looks like a Solitec. Has 2 No baskets 500mm dia. x 1230mm long. One is 5mm round hole the other 4mm stainless woven wire. There is a 15kW motor with it. Loaded FOC yes, located Lincoln (V374577-6055)
859	Plastic Slatted Bag Conveyor, 3.2m long with 190mm wide slats but no drive, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-6033)	880	Mild Steel Hopper, 1200mm x 1200mm x 1250mm vertical and 1000mm deep hopper. The hopper section has a vertical face and three sloping faces. Flanged outlet 430mm x 270mm. About 2 M3 volume, vendors comments/ condition report - No legs. Poor condition, loaded FOC yes, located Lincoln (V374577-5603)
860	Tote Bag Filler, for potatoes mounted on a wheeled frame. It has a 450mm wide inclined cleated belt 2.3m long, giving a discharge height of 1.2m, mounted on the conveyor above the belt there is heavy duty permanent magnet by Magnapower model SMP3350, built in 2012, Serial no. M4307A, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-6030)	881	Mild Steel Opens Topped Hopper, on legs, with bracing. Hopper is 2.9m x 1.55m x 550mm vertical. The hopper section is 1.3m deep with a flanged outlet 500mm x 400mm. The overall height is 2.3m and the outlet are 450mm above base level. The outlet is offset from centre. Working volume about 4.5 M3, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-5604)
870	Pacepacker C20 Bag Placer, with stainless steel mechanical parts, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-5860)	882	Howe Richardson H17 Semi-Automatic, Mechanical Gross Bag Weigher, with G30 bag clamp. No weights or weight bar, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-5858)
871	Vee Shaped Bag Aligner, on pedestal, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-6029)	883	Howe Richardson H17 Semi-Automatic Gross Bag Weigher, built 1964 and calibrated in lbs but with a set of kg weights. Has a G30 bag clamp, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-6026)
872	FTH High Level Palletiser, with roller track and controls, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-5863)	884	T A Shore T160 Mechanical Automatic Net Bag Weigher, serial no. 3038. It has a two speed belt feeder 420mm wide x 600mm roll centres. Weightment size from 25kg to 10kg. No under hopper, bag clamp or control panel, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-6034)
873	Pacepacker Heat Sealer, on pedestal, vendors comments/ condition report - Good condition, loaded FOC yes, located Lincoln (V374577-6024)	885	Leon Engineering Platform Scale, 1.5M x 1.5M with LD 5204 SS controls. Max load 3 tonne, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-5857)
874	Hulme Martin Impact Heat Sealer, with 350mm working width, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-6028)		

Lot	Description	Lot	Description
886	Waukesha Cherry Burrell Gear Pump, with 0.75kW drive 1in ports, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-6072)	905	Aerzen GM4S Blower Unit, 1.5kW electric motor, no. 700398 (WH074) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 381
887	FF Ltd Bare Shaft Gear Pump, with 2in ports, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-6073)	906	Flexicon BFFIC STAINLESS STEEL SACK TIP HOPPER WITH BULK BAG PNEUMATIC HANDLING FRAME, with Flexicon auger, year of manufacture 2005 (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 383
888	FF Ltd Gear Pump, on base plate with geared drive and 2in ports, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-6074)	907	Rotary Screen with Westinghouse Derion GS200 Rotary Blowing Seal, serial no 8299 (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 385
889	Mild Steel Hopper, 2.0m wide x 1.7m long with 1.15m of vertical wall and 1.65m deep hopper. It has 4 No support legs and the outlet are 1.0m above base level. Working volume about 5.5 cubic m. The front outlet is 400mm x 400mm and is slightly offset, vendors comments/ condition report - Average condition, loaded FOC yes, located Lincoln (V374577-6076)	908	DCE Donaldson Torit Venting Unit, with Westinghouse rotary seal and dust hopper (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 405
890	Insulated Stainless Steel Drying Cabinet, 1.5m x 1.25m x 1.3m high with door, vendors comments/ condition report - Poor condition, loaded FOC yes, located Lincoln (V374577-6077)	909	Medway D/C8 Pillar Stitcher, no. 1023, with Medway 150 stitching head and belt conveyor, 450mm x 3.5m approx. (WH-13) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 443
891	Insulated Stainless Steel Tank, with conical base 40mm outlet insulated top with 400mm dia. inlet with lid, vendors comments/ condition report - No support frame or legs. Good condition, loaded FOC yes, located Lincoln (V374577-6078)	910	Auger Screw Conveyor, 200mm dia. x 6.1m long (FP35) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 617
900	Buhler MNSG 200mm Inclined Tubular Screw Conveyor, year of manufacture 2003, approx. 2.4m long (SCVR421) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 250	911	ONE PAIR FLUTED ROLLS (understood to be refurbished), 1st BKS C-mill, 10.5 flutes per inch, J-type, 1000mm x 250mm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1044
901	Buhler MNSG 200mm Inclined Tubular Screw Conveyor, year of manufacture 2003, approx. 1.65m long (SCVR419) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 251	912	ONE PAIR FLUTED ROLLS (understood to be refurbished), 3rd BKC C-mill, 18 flutes per inch, 1000mm x 250mm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1045
902	Buhler MNSG 200mm Inclined Tubular Screw Conveyor, approx. 2.2m long, year of manufacture 2003 (SCVR418) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 251A	913	ONE PAIR FLUTED ROLLS (understood to be refurbished), 3rd BKC C-mill, 18 flutes per inch, 1000mm x 250mm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1046
903	Magnetic Separations PCD 100 Permanent Magnetic Separator, serial no. 7043, 150mm x 450mm on stainless steel spout section (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 254	914	ONE PAIR SMOOTH ROLLS (understood to be refurbished), C-mill, 1000mm x 250mm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1047
904	Two DCE Dalamatic Bin Venting Units (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 353	915	ONE PAIR SMOOTH ROLLS (understood to be refurbished), C-mill, 1000mm x 250mm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1048

Lot	Description	Lot	Description
916	ONE PAIR FLUTED ROLLS (understood to be refurbished), 4th BKC C-mill, 26 flutes per inch, J-type, 1000mm x 250mm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1049	927	Mill Spares, with filter sock frames (frames marked 1119) on pallet (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1118
917	ONE PAIR FLUTED ROLLS (understood to be refurbished), B2 C-mill, 36 flutes per inch, J-type, 1000mm x 250mm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1050	928	Rolls, as set out (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1120
918	ONE PAIR FLUTED ROLLS (understood to be refurbished), 4th BKF C-mill, 28 flutes per inch, 1000mm x 250mm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1051	929	Spares, on pallet (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1121
919	ONE PAIR FLUTED ROLLS (understood to be refurbished), 4th BKC, 26 flutes per inch, 1000mm x 250mm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1052	930	Mill Spares, on pallet (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1122
920	Six Tier Roll Rack (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1053	931	Assorted Elevator and Conveyor Belting and Buckets, (pallet not included) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1139
921	Six Tier Roll Rack (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1054	932	STAINLESS STEEL CASED 300MM WIDE PLASTIC BELT ROTARY CUTTING CONVEYOR, approx. 1.8m long, with control panel and cylindrical cutting attachment (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1140
922	Six Tier Roll Rack (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1055	933	Assorted Equipment, (pallet not included) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1143
923	Six Tier Roll Rack (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1056	934	Aerzen GM15L BLOWER, serial no. 705965, year of manufacture 1994, (understood to be reconditioned) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1144
924	Cuccolini VAM 1500LX VIBRATORY SCREEN, serial no. 9425 FD0103, CE 03, approx. 1.5m dia. with two screens (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1066	935	Assorted Equipment, on pallet (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1147
925	Williams Stainless Steel Cased Proving Cabinet (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1076	936	HAWKER TC3IQ24V070B Motive Power Charger, serial no. 357758-A (unused) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1150
926	Buhler Stainless Steel Screw (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot Load onto purchaser's transport FOC yes, formerly lot 1096	937	Hawker TC3IQ24V070B Motive Power Charger, serial no. 357758-B (unused) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1151
926A	Mill Spares, on pallet (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1117	938	Becker SV5.250/2 Vacuum Pump, serial no. E25Z0614, year of manufacture 2011, understood to be unused (pallet not included) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1153

Lot	Description	Lot	Description
939	Rotolok 20RVSCM01BOP Rotary Air Seal, serial no. 64976, refurbished, 200mm inlet (pallet not included) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1159	951	WEG W22 High EFF.IE2 15kW Electric Motor, 1460 rpm (unused) (in timber crate) (pallet not included) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1177
940	Two Electric Motors and Torque-Arm Speed Reducer (pallet not included) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1161	952	Bonfiglioli 1.5kW Geared Electric Motor (unused) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1189
941	Carter Refurbished Gear Unit, serial no. 12/233201 (understood to be F type) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1162	953	Refurbished Electric Motor and Gear Box understood to be Carter F14 and Ritespeed (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1199
942	1.5kW Geared Electric Motor (unused) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1164	954	Elevator Belting and Buckets, unused, belt 300mm wide, bucket 180mm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1200
943	ABB 3GAA201001-ADC 30kW Electric Motor, 2955 rpm, with electric motors on pallet (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1165 & 1166	955	Electric Motors and Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1202
944	WEG 11KW ELECTRIC MOTOR 1465 RPM (understood to be unused) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1168	956	Mainly Electrical Motors, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1203
945	ABB Electric Motor (unused), no details (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1169	957	Equipment, in timber crate (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1204
946	Three Electric Motors, on pallet, (one geared) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1170	958	Mainly Electric Motors, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1205
947	ABB 22kW Electric Motor, 2952 rpm (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1171	959	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1206
948	Assorted Electric Motors and Gear Boxes, on pallet (pallet not included) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1174	960	Seven Conveyor Rollers, each approx. 1250mm wide x approx. 90mm dia. (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1207
949	Assorted ELECTRIC MOTORS and Gear Boxes, on pallet (pallet not included) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1175	961	Assorted Equipment on Stainless Steel Frames and Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1209
950	Camak AGM2E112M2 4kW Geared Electric Motor, 2910 rpm (pallet not included) (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1176	962	Electric Motors and Gear Boxes, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1210A
		963	Stainless Steel Trays and Equipment, in plastic box pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1211

Lot	Description	Lot	Description
964	Electric Motors and Gear Boxes, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1212A	977	Mectec Ticket Applicator (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1241
965	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1213	978	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1243
966	Derion Westinghouse Blowing Seal, 200mm dia. inlet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1213A	979	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1244
967	Westinghouse Blowing Seal, 250mm dia. inlet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1213B	980	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1246
968	Assorted Equipment, on pallet, with digital weigher readouts (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1214	981	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1249
969	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1215	982	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1251
970	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1216	983	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1252
971	Assorted Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1217	984	CFM 118 Industrial Vacuum Cleaner, serial no. 11AG349, year of manufacture 2006, 1kW, 110v (note - this lot is situated at ICKLEFORD MILL, SG5 3UN) (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes
972	DMN Westinghouse Satake SRV F3 Air Seal, serial no. SRVF3A0C 10034, unused, year of manufacture 2014 (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1227	985	John Hunt Pie Press (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes
973	Assorted Filters and Equipment, on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1229	986	Kenwood Bowl Mixer (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes
974	Screw Conveyor Casings, as set out on pallet (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1230	987	Alveographe Manometer (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes
975	Two 80mm Aperture Stainless Steel Cased Permanent Magnetic Separators, each with AZO flow control valves (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1233	988	Chopin MA82 Laboratory Kneading Unit, serial no 3366, with Chopin MA82 Unit, serial no. 3366 (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes
976	Ajax Horizontal Hack Saw (marked as 3014) (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes, formerly lot 1237	989	Spares on Four Pallets, including Buhler (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes
		990	Electric Furnace, 120mm x 100mm x 100m high internal (Note: This lot is situated at Ickleford Mill, SG5 3UN) Load onto purchaser's transport FOC yes

Lot	Description	Lot	Description
1000	GIC VFB4000 Vertical Form Fill & Seal, serial no. 960108, year of manufacture 2003, with three forming tubes, continuous heat sealing jaws, loaded onto purchaser's transport FOC – yes, located in Lincolnshire, vendors comments – in working condition (no label printer)	1011	Kongsilde TRL55 Mobile Centrifugal Fan, with electric motor drive (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 176)
1001	Stainless Steel Cased Two Deck Cooler Conveyor, approx. 1.15m wide x 11.5m long, with electric motor drive (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 150)	1012	Brook Crompton Parkinson D160L 15kW Electric Motor, 1470rpm (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 177)
1002	Heaton Green TWO EJFC34M/10/4.0KW DUST FILTER UNITS, serial no. 6599, with ten screen frames (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 151)	1013	Fabricated Steelwork, on pallet (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 178)
1003	Heaton Green TWO DUST FILTER UNITS, with ten screen frames (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 152)	1014	Galvanised Steel Cased 530mm dia. Axial Flow Fan, with electric motor drive, 540mm long on casing (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 179)
1004	Pacepacker Top Form & Belt Feeder, serial no. 1558, with steel stand (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 158)	1015	Galvanised Steel Elevator Head, 170mm wide on drum, with electric motor, shaft mounted torque arm speed reducer and approx. ten galvanised steel elevator leg sections, each approx. 200mm x 180mm, two x 2.45m long, six x 1.2m long and two x 760mm long (no boot or belting or buckets) (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 183)
1005	and Hydraulic Workshop Engine Crane Hoist (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 159)	1016	450mm dia. Axial Flow Fan, approx. 460mm long on casing, with electric motor drive (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport)
1006	Barron Wood-framed Pea Cutter, with screen (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 161)	1017	Three Assorted Conveyor Scrolls, as set out (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 185)
1007	Fabricated Steel Framework, understood to form tote bin discharge stand when erected (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 169)	1018	3M Box Taper, loaded onto purchaser's transport FOC – yes, located in Lincolnshire
1008	Elevator Head, 240mm wide on drum, with electric motor and shaft mounted torque arm speed reducer (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 173)	1019	Bulk Storage Bin, 2700mm x 3225mm x 750mm deep
1009	Assorted Elevator Buckets, on pallet, approx. 150mm to 220mm wide (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 174)	1020	Inclined Conveyor, 3400mm long, 455mm wide, loaded onto purchaser's transport FOC – yes, located in Lincolnshire
1010	Brook Crompton Parkinson 7-AD225M 45kW Electric Motor, 1465rpm (lot located in Alford, Lincolnshire) (free loading onto purchaser's transport) (formerly lot 175)	1021	Personnel Cage (one person), loaded onto purchaser's transport FOC – yes, located in Lincolnshire
		1022	Personnel Cage (one person), loaded onto purchaser's transport FOC – yes, located in Lincolnshire
		1023	Personnel Cage (two persons), loaded onto purchaser's transport FOC – yes, located in Lincolnshire